



NSAI
Standards

Irish Standard
I.S. EN ISO 12217-1:2017

Small craft - Stability and buoyancy assessment and categorization - Part 1: Non- sailing boats of hull length greater than or equal to 6 m (ISO 12217-1:2015)

© CEN 2017 No copying without NSAI permission except as permitted by copyright law.

I.S. EN ISO 12217-1:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 12217-1:2017

Published:

2017-09-27

*This document was published
under the authority of the NSAI
and comes into effect on:*

2017-10-15

ICS number:

47.080

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 12217-1:2017 is the adopted Irish version of the European Document EN ISO 12217-1:2017, Small craft - Stability and buoyancy assessment and categorization - Part 1: Non-sailing boats of hull length greater than or equal to 6 m (ISO 12217-1:2015)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 12217-1

September 2017

ICS 47.080

Supersedes EN ISO 12217-1:2015

English Version

**Small craft - Stability and buoyancy assessment and
categorization - Part 1: Non-sailing boats of hull length
greater than or equal to 6 m (ISO 12217-1:2015)**

Petits navires - Évaluation et catégorisation de la
stabilité et de la flottabilité - Partie 1: Bateaux à
propulsion non vélique d'une longueur de coque
supérieure ou égale à 6 m (ISO 12217-1:2015)

Kleine Wasserfahrzeuge - Stabilitäts- und
Auftriebsbewertung und Kategorisierung - Teil 1:
Nicht-Segelboote ab 6 m Rumpflänge (ISO 12217-
1:2015)

This European Standard was approved by CEN on 23 July 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 12217-1:2017 (E)

Contents	Page
European foreword.....	3
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2013/53/EU aimed to be covered	4

European foreword

The text of ISO 12217-1:2015 has been prepared by Technical Committee ISO/TC 188 “Small craft” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 12217-1:2017.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2018, and conflicting national standards shall be withdrawn at the latest by March 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 12217-1:2015.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 12217-1:2015 has been approved by CEN as EN ISO 12217-1:2017 without any modification.

EN ISO 12217-1:2017 (E)

Annex ZA

(informative)

Relationship between this European Standard and the essential requirements of Directive 2013/53/EU aimed to be covered

This European Standard has been prepared under a Commission's standardization request M/542/C(2015) 8736 final to provide one voluntary means of conforming to essential requirements of Directive 2013/53/EU.

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Annex I of Directive 2013/53/EU

Essential Requirements of Directive 2013/53/EU	Clause(s)/sub-clause(s) of this EN	Remarks/Notes
I.A.1 - Watercraft Design Categories	Clause 5, 6, 7, Annex I	The evaluation of stability and buoyancy properties using EN ISO 12217-1 will enable boats primarily propelled by human or mechanical power of 6 m to 24 m hull length to be assigned to a design category (A, B, C or D) appropriate to its design and maximum load. Design categories A, B, C and D defined in this standard correspond to design categories A, B, C and D of Directive 2013/53/EU.
I.A.2.3.2 - Stability and Freeboard	Clause 5, 6 Annexes A, B, C, D, E	
I.A.2.3.3 - Buoyancy and flotation	Clause 6.6, 6.8 Annexes F, G	Habitable multihulls susceptible to inversion shall also comply with the inverted buoyancy requirements of ISO 12217-2, 7.12.
I.A.2.3.5 - Flooding	Clause 6 Annex A, B C and D	In respect of watertight integrity and downflooding openings including ventilation openings and fittings.
I.A.2.3.6 - Maximum recommended load	Clause 5	
I.A.3.8 - Escape	Clause 6.6	Habitable multihulls susceptible

		to inversion shall also comply with the escape requirements of ISO 12217-2, 7.13. This standard does not include means of escape in the event of fire.
I.A.2.5 - Owner's manual	Annex H	

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

This page is intentionally left blank

INTERNATIONAL STANDARD

**ISO
12217-1**

Third edition
2015-10-15

Small craft — Stability and buoyancy assessment and categorization —

Part 1: Non-sailing boats of hull length greater than or equal to 6 m

Petits navires — Évaluation et catégorisation de la stabilité et de la flottabilité —

Partie 1: Bateaux à propulsion non vélique d'une longueur de coque supérieure ou égale à 6 m



Reference number
ISO 12217-1:2015(E)

© ISO 2015

ISO 12217-1:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
3.1 Primary.....	2
3.2 Downflooding.....	4
3.3 Dimensions, areas and angles.....	5
3.4 Condition, mass and volume.....	7
3.5 Other terms and definitions.....	9
4 Symbols	12
5 Procedure	13
5.1 Maximum load.....	13
5.2 Sailing or non-sailing.....	13
5.3 Tests and calculations to be applied.....	14
5.4 Variation in input parameters.....	15
6 Tests, calculations and requirements	15
6.1 Downflooding.....	15
6.1.1 Downflooding openings.....	15
6.1.2 Downflooding height.....	17
6.1.3 Downflooding angle.....	20
6.2 Offset-load test.....	20
6.2.1 Objective.....	20
6.2.2 Test.....	21
6.2.3 Requirements.....	21
6.3 Resistance to waves and wind.....	21
6.3.1 General.....	21
6.3.2 Rolling in beam waves and wind.....	21
6.3.3 Resistance to waves.....	22
6.4 Heel due to wind action.....	23
6.4.1 General.....	23
6.4.2 Calculation.....	23
6.4.3 Requirement.....	24
6.5 Recess size.....	24
6.5.1 Application.....	24
6.5.2 Simplified methods.....	25
6.5.3 Direct calculation method.....	26
6.5.4 Design category C boats using option 6.....	27
6.6 Habitable multihull boats.....	27
6.7 Motor sailers.....	27
6.7.1 General.....	27
6.7.2 Requirement.....	28
6.8 Flotation requirements.....	28
6.9 Detection and removal of water.....	28
7 Application	29
7.1 Deciding the design category.....	29
7.2 Meaning of the design categories.....	29
Annex A (normative) Full method for required downflooding height	31
Annex B (normative) Method for offset-load test	33
Annex C (normative) Methods for calculating downflooding angle	41

ISO 12217-1:2015(E)

Annex D (normative) Method for measuring freeboard margin	43
Annex E (normative) Determining the curve of righting moments	45
Annex F (normative) Method for level flotation test	48
Annex G (normative) Flotation material and elements	53
Annex H (normative) Information for owner's manual	55
Annex I (informative) Summary of requirements	57
Annex J (informative) Worksheets	58
Annex K (informative) Illustration of recess retention level	75
Bibliography	76

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 188, *Small craft*.

This third edition cancels and replaces the second edition (ISO 12217-1:2013), of which it constitutes a minor revision. It incorporates the following modifications:

- Introduction: the reference to the European Directive has been updated (2013/53/EU);
- [Clause 1](#), [6.1.1.6](#) letter d) 3), [6.6](#) and Worksheet 9 of [Annex J](#): “vulnerable” has been replaced with “susceptible”;
- [Clause 2](#): ISO 6185-4:2011 has been added;
- [Clause 3](#): entries [3.1.1](#), [3.4.3](#), [3.4.5](#), [3.4.6](#) and [3.5.9](#) have been amended;
- [Subclause 6.1.2.2](#), letter c): option 6 has been included;
- [Subclauses 6.3.2](#) and [6.4.1](#): the formulae have been harmonised;
- [Subclauses 6.5.2.3](#) and [6.5.2.4](#): formulae coefficients have been corrected;
- [Subclause 7.2](#): the text and Table 6 have been amended;
- [Clause F.4](#): [Table F.5](#) has been amended, [subclause F.4.4](#) has been added;
- [Annex J](#): worksheets 1, 2, 3, 6, 7, 8, 9, 10 and 12 have been corrected to align with corrections listed above;
- [Annex K](#) has been added;
- Bibliography: reference to ISO 7010 has been added;
- Editorial and cross-referencing corrections have been made to [Table 2](#), [subclauses 6.5.1](#), [6.5.2.2](#) and [6.5.2.3](#), and worksheets 4 and 8 of [Annex J](#).

ISO 12217-1:2015(E)

ISO 12217 consists of the following parts, under the general title *Small craft — Stability and buoyancy assessment and categorization*:

- *Part 1: Non-sailing boats of hull length greater than or equal to 6 m*
- *Part 2: Sailing boats of hull length greater than or equal to 6 m*
- *Part 3: Boats of hull length less than 6 m*

Introduction

This part of ISO 12217 enables the determination of the limiting environmental conditions for which an individual boat has been designed.

It enables the boat to be assigned to a design category appropriate to its design and maximum load. The design categories used align with those in the Recreational Craft Directive of the European Union, EU Directive 2013/53/EU.

The design category given in respect of stability and buoyancy is that for which the boat satisfies all the requirements according to [5.3](#), as summarized in [Annex I](#).

Small craft — Stability and buoyancy assessment and categorization —

Part 1:

Non-sailing boats of hull length greater than or equal to 6 m

CAUTION — Compliance with this part of ISO 12217 does not guarantee total safety or total freedom of risk from capsizing or sinking.

IMPORTANT — The electronic file of this document contains colours which are considered to be useful for the correct understanding of the document. Users should therefore consider printing this document using a colour printer.

1 Scope

This part of ISO 12217 specifies methods for evaluating the stability and buoyancy of intact (i.e. undamaged) boats. The flotation characteristics of boats susceptible to swamping are also encompassed.

The evaluation of stability and buoyancy properties using this part of ISO 12217 will enable the boat to be assigned to a design category (A, B, C or D) appropriate to its design and maximum total load.

This part of ISO 12217 is principally applicable to boats propelled by human or mechanical power of 6 m up to 24 m hull length. However, it can also be applied to boats of under 6 m if they do not attain the desired design category specified in ISO 12217-3 and they are decked and have quick-draining recesses which comply with ISO 11812.

In relation to habitable multihulls, this part of ISO 12217 includes assessment of susceptibility to inversion, definition of viable means of escape and requirements for inverted flotation.

This part of ISO 12217 excludes:

- inflatable and rigid-inflatable boats covered by ISO 6185, except for references made in ISO 6185 to specific clauses of ISO 12217;
- personal watercraft covered by ISO 13590 and other similar powered craft;
- gondolas and pedalos;
- sailing surfboards;
- surfboards, including powered surfboards;
- hydrofoils and hovercraft when not operating in the displacement mode; and
- submersibles.

NOTE Displacement mode means that the boat is only supported by hydrostatic forces.

It does not include or evaluate the effects on stability of towing, fishing, dredging or lifting operations, which need to be separately considered if appropriate.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-