This is a free page sample. Access the full version online.

NSAI Standards

Irish Standard
I.S. EN ISO 3830:1995

Petroleum products - Determination of lead content of gasoline - Iodine monochloride method (ISO 3830:1993)

© CEN 1996 No copying without NSAI permission except as permitted by copyright law.

This is a free page sample. Access the full version online.

I.S. EN ISO 3830:1995

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:	*Published:*
EN ISO 3830:1995	2010-10-08

This document was published under the authority of the NSAI and comes into effect on:	ICS number:
1996-06-14	75.160.20
	NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN ISO 3830:1995 is the adopted Irish version of the European Document EN ISO 3830:1995, Petroleum products - Determination of lead content of gasoline - Iodine monochloride method (ISO 3830:1993)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 3830

August 1995

ICS 75.160.20

Supersedes EN 23830:1989

Descriptors: petroleum products, gasoline, chemical analysis, determination of content, lead, volumetric analysis

English version

Petroleum products - Determination of lead content of gasoline - Iodine monochloride method (ISO 3830:1993)

Produits pétroliers - Détermination de la teneur en plomb de l'essence - Méthode au monochlorure d'iode (ISO 3830:1993)

Mineralölerzeugnisse - Bestimmung des Bleigehaltes von Ottokraftstoffen - Iodmonochlorid-Verfahren (ISO 3830:1993)

This European Standard was approved by CEN on 1995-07-30. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 1995 All rights of reproduction and communication in any form and by any means reserved in all countries to CEN and its members.

Ref. No. EN ISO 3830:1995 E

I.S. EN ISO 3830:1995
This is a free page sample. Access the full version online.

Foreword

The text of the International Standard from ISO/TC 28 "Petroleum products and lubricants" of the International Organization for Standardization (ISO) has been taken over as a European Standard by the Technical Committee CEN/TC 19 "Petroleum products, lubricants and related products".

This European Standard supersedes EN 23830:1989.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by February 1996, and conflicting national standards shall be withdrawn at the latest by February 1996.

According to CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 3830:1993 has been approved by CEN as a European Standard without any modification.

This is a free page sample. Access the full version online.

INTERNATIONAL STANDARD

ISO 3830

Third edition
1993-10-01

Petroleum products — Determination of lead content of gasoline — Iodine monochloride method

Produits pétroliers — Détermination de la teneur en plomb de l'essence — Méthode au monochlorure d'iode

Reference number
ISO 3830:1993(E)

This is a free page sample. Access the full version online.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 3830 was prepared by Technical Committee ISO/TC 28, *Petroleum products and lubricants*.

This third edition cancels and replaces the second edition (ISO 3830:1981), which has been technically revised.

© ISO 1993
All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

This is a free page sample. Access the full version online.

Petroleum products — Determination of lead content of gasoline — Iodine monochloride method

WARNING — The use of this International Standard may involve hazardous materials, operations and equipment. This standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

1 Scope

This International Standard specifies a method for the determination of total lead content in gasolines containing lead alkyls at concentrations between 0,026 g and 1,300 g of lead per litre.

This International Standard is not applicable to gasoline containing manganese anti-knock additives.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 385-1:1984, *Laboratory glassware — Burettes — Part 1: General requirements.*

ISO 835-1:1981, *Laboratory glassware — Graduated pipettes — Part 1: General requirements.*

ISO 1042:1983, *Laboratory glassware — One-mark volumetric flasks.*

ISO 1770:1981, *Solid-stem general purpose thermometers.*

ISO 3007:1986, *Petroleum products — Determination of vapour pressure — Reid method.*

ISO 3170:1988, *Petroleum liquids — Manual sampling.*

ISO 3171:1988, *Petroleum liquids — Automatic pipeline sampling.*

ISO 3696:1987, *Water for analytical laboratory use — Specification and test methods.*

ISO 3839:1978, *Petroleum distillates and commercial aliphatic olefins — Determination of bromine number — Electrometric method.*

ISO 4788:1980, *Laboratory glassware — Graduated measuring cylinders.*

ISO 4800:1977, *Laboratory glassware — Separating funnels and dropping funnels.*

3 Principle

A known volume of the test sample is diluted with heavy distillate and shaken with aqueous iodine monochloride reagent. Any tetraalkyl lead compounds present react with the iodine monochloride and are extracted into the aqueous phase as the dialkyl lead compounds. The aqueous extract is separated from the gasoline and evaporated to low bulk to decompose free iodine monochloride. Any organic matter present is removed by oxidation with nitric acid, which also serves to convert the dialkyl lead compounds into inorganic lead compounds. The residue is dissolved in water and buffered to pH 5 with sodium acetate/acetic acid buffer. The lead content of the buffered solution is determined by titration with Na_2EDTA using xylenol orange as indicator.

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation