AS 4174:2018 (Incorporating Amendment No. 1)



Knitted and woven shade fabrics



This is a free page sample. Access the full version online.

This Australian Standard® was prepared by Committee TX-008, Textiles for Horticulture and Agriculture. It was approved on behalf of the Council of Standards Australia on 23 January 2018.

This Standard was published on 14 February 2018.

The following are represented on Committee TX-008:

- Australian Industry Group
- Australian Radiation Protection and Nuclear Safety Agency
- AWTA Product Testing
- CSIRO
- Department of Health and Human Services Victoria
- Engineers Australia
- Specialised Textiles Association
- University of New South Wales

This Standard was issued in draft form for comment as DR AS 4174:2017.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

AS 4174:2018 (Incorporating Amendment No. 1)

Australian Standard®

Knitted and woven shade fabrics

Originated as AS 4174—1994. Second edition AS 4174:2018. Reissued incorporating Amendment No. 1 (August 2019).

COPYRIGHT

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TX-008, Textiles for Horticulture and Agriculture, to supersede AS 4174—1994, *Synthetic shadecloth*.

This Standard incorporates Amendment No. 1 (August 2019). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

The objective of this Standard is to provide requirements for the classification, performance and labelling of knitted and woven shade fabrics for horticultural and human protection uses.

Requirements for horticultural and human protection uses, are set out in separate sections of the Standard.

The following two aspects of this Standard were originally developed from a document for the supply of synthetic shade fabric initiated by the Australian shade fabric industry in 1985:

- (a) Measurement of the cover factor of a shade fabric using a standard instrument.
- (b) Cover factor ranges for different categories of shade fabric.

The terms 'normative' and 'informative' have been used to define the application of the appendices to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

SECTION 1 SCOPE AND GENERAL 1.1 SCOPE 5 1.2 APPLICATION 5 1.3 REFERENCED DOCUMENTS 6 1.4 DEFINITIONS 6 SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS 6 SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS 8 2.1 GENERAL 8 2.2 PERFORMANCE REQUIREMENTS 8 2.3 RESISTANCE TO DEGRADATION BY LIGHT 9 2.4 UV-VISIBLE TRANSMITTANCE 9 2.5 MASS PER UNIT AREA 10 2.6 SOLAR RADIATION TRANSMITTANCE 10 2.7 FLAMMABILITY 10 2.8 LABELLING AND COLOUR TRIM 10 2.8 LABELLING AND COLOUR TRIM 10 SECTION 3 HUMAN SHADE PROTECTION FABRICS 11 3.1 GENERAL 11 3.2 PERFORMANCE REQUIREMENTS 11 3.3 RESISTANCE TO DEGRADATION BY LIGHT 12 3.4 MASS PER UNIT AREA 12 3.5 SOLAR RADIATION TRANSMITTANCE 12 3.6<	FOREW	'ORD	4	
1.1 SCOPE 5 1.2 APPLICATION 5 1.3 REFERENCED DOCUMENTS 6 1.4 DEFINITIONS 6 SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS 6 2.1 GENERAL 8 2.2 PERFORMANCE REQUIREMENTS 8 2.3 RESISTANCE TO DEGRADATION BY LIGHT 9 2.4 UV-VISIBLE TRANSMITTANCE 9 2.5 MASS PER UNIT AREA 10 2.6 SOLAR RADIATION TRANSMITTANCE 10 2.7 FLAMMABILITY 10 2.8 LABELLING AND COLOUR TRIM 10 2.9 ECTION 3 HUMAN SHADE PROTECTION FABRICS 3.1 GENERAL 11 12 3.4 MASS PER UNIT AREA 12 3.5 SOLAR RADIATION TRANSMITTANCE 12 3.6 FLAMMABILITY	GECTIO	NIL CODE AND CENEDAL		
1.2 APPLICATION 5 1.3 REFERENCED DOCUMENTS 6 1.4 DEFINITIONS 6 SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS 8 2.1 GENERAL 8 2.2 PERFORMANCE REQUIREMENTS 8 2.3 RESISTANCE TO DEGRADATION BY LIGHT 9 2.4 UV-VISIBLE TRANSMITTANCE 9 2.5 MASS PER UNIT AREA 10 2.6 SOLAR RADIATION TRANSMITTANCE 10 2.7 FLAMMABILITY 10 2.8 LABELLING AND COLOUR TRIM 10 2.9 PERFORMANCE REQUIREMENTS 11 3.1 GENERAL 11 3.2 PERFORMANCE TO DEGRADATION BY LIGHT 12 3.4 MASS PER UNIT AREA 12 3.5 SOLAR RADIATION TRANSMITTANCE 12 3.6 FLAMMABILITY 12 3.7 LABELLING 12			-	
1.3 REFERENCED DOCUMENTS 6 1.4 DEFINITIONS 6 SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS 8 2.1 GENERAL 8 2.2 PERFORMANCE REQUIREMENTS 8 2.3 RESISTANCE TO DEGRADATION BY LIGHT 9 2.4 UV-VISIBLE TRANSMITTANCE 9 2.5 MASS PER UNIT AREA 10 2.6 SOLAR RADIATION TRANSMITTANCE 10 2.7 FLAMMABILITY 10 2.8 LABELLING AND COLOUR TRIM 10 SECTION 3 HUMAN SHADE PROTECTION FABRICS 11 3.1 GENERAL 11 3.2 PERFORMANCE REQUIREMENTS 11 3.3 RESISTANCE TO DEGRADATION BY LIGHT 12 3.4 MASS PER UNIT AREA 12 3.5 SOLAR RADIATION TRANSMITTANCE 12 3.4 MASS PER UNIT AREA 12 3.5 SOLAR RADIATION TRANSMITTANCE 12 3.6 FLAMMABILITY 12 3.7 LABELLING 12 3.8 FLAMMABILITY <td< td=""><td></td><td></td><td></td></td<>				
1.4 DEFINITIONS 6 SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS 8 2.1 GENERAL 8 2.2 PERFORMANCE REQUIREMENTS 8 2.3 RESISTANCE TO DEGRADATION BY LIGHT 9 2.4 UV-VISIBLE TRANSMITTANCE 9 2.5 MASS PER UNIT AREA 10 2.6 SOLAR RADIATION TRANSMITTANCE 10 2.7 FLAMMABILITY 10 2.8 LABELLING AND COLOUR TRIM 10 2.8 LABELLING AND COLOUR TRIM 10 SECTION 3 HUMAN SHADE PROTECTION FABRICS 11 3.1 GENERAL 11 3.2 PERFORMANCE REQUIREMENTS 11 3.3 RESISTANCE TO DEGRADATION BY LIGHT 12 3.4 MASS PER UNIT AREA 12 3.5 SOLAR RADIATION TRANSMITTANCE 12 3.6 FLAMMABILITY 12 3.7 LABELLING 12 3.6 FLAMMABILITY 12 3.7 LABELLING 12 3.8 FLAMMABILITY 12				
SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS 2.1 GENERAL				
2.1GENERAL82.2PERFORMANCE REQUIREMENTS82.3RESISTANCE TO DEGRADATION BY LIGHT92.4UV-VISIBLE TRANSMITTANCE92.5MASS PER UNIT AREA102.6SOLAR RADIATION TRANSMITTANCE102.7FLAMMABILITY102.8LABELLING AND COLOUR TRIM102.8LABELLING AND COLOUR TRIM10SECTION 3HUMAN SHADE PROTECTION FABRICS113.1GENERAL113.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICES14BMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD FOR THE DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25	1.4	DEFINITIONS	6	
2.1GENERAL82.2PERFORMANCE REQUIREMENTS82.3RESISTANCE TO DEGRADATION BY LIGHT92.4UV-VISIBLE TRANSMITTANCE92.5MASS PER UNIT AREA102.6SOLAR RADIATION TRANSMITTANCE102.7FLAMMABILITY102.8LABELLING AND COLOUR TRIM102.8LABELLING AND COLOUR TRIM10SECTION 3HUMAN SHADE PROTECTION FABRICS113.1GENERAL113.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICES14BMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD FOR THE DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25	SECTION 2 HORTICULTURAL SHADE PROTECTION FABRICS			
2.2 PERFORMANCE REQUIREMENTS 8 2.3 RESISTANCE TO DEGRADATION BY LIGHT 9 2.4 UV-VISIBLE TRANSMITTANCE 9 2.5 MASS PER UNIT AREA 10 2.6 SOLAR RADIATION TRANSMITTANCE 10 2.6 SOLAR RADIATION TRANSMITTANCE 10 2.7 FLAMMABILITY 10 2.8 LABELLING AND COLOUR TRIM 10 2.8 LABELLING AND COLOUR TRIM 10 SECTION 3 HUMAN SHADE PROTECTION FABRICS 11 3.1 GENERAL 11 3.2 PERFORMANCE REQUIREMENTS 11 3.3 RESISTANCE TO DEGRADATION BY LIGHT 12 3.4 MASS PER UNIT AREA 12 3.5 SOLAR RADIATION TRANSMITTANCE 12 3.6 FLAMMABILITY 12 3.7 LABELLING 12			8	
2.3 RESISTANCE TO DEGRADATION BY LIGHT	2.2			
2.5MASS PER UNIT AREA102.6SOLAR RADIATION TRANSMITTANCE102.7FLAMMABILITY102.8LABELLING AND COLOUR TRIM102.8LABELLING AND COLOUR TRIM10SECTION 3HUMAN SHADE PROTECTION FABRICS113.1GENERAL113.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICESAMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25	2.3			
2.6SOLAR RADIATION TRANSMITTANCE	2.4	UV-VISIBLE TRANSMITTANCE	9	
2.7FLAMMABILITY102.8LABELLING AND COLOUR TRIM10SECTION 3HUMAN SHADE PROTECTION FABRICS103.1GENERAL113.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICES14BMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25	2.5	MASS PER UNIT AREA	. 10	
2.8LABELLING AND COLOUR TRIM10SECTION 3HUMAN SHADE PROTECTION FABRICS113.1GENERAL113.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICES14BMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25	2.6	SOLAR RADIATION TRANSMITTANCE	. 10	
SECTION 3 HUMAN SHADE PROTECTION FABRICS 3.1 GENERAL	2.7	FLAMMABILITY	. 10	
3.1GENERAL113.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICES14BMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL 	2.8	LABELLING AND COLOUR TRIM	. 10	
3.1GENERAL113.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICES14BMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25	anomio			
3.2PERFORMANCE REQUIREMENTS113.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING123.7LABELLING12APPENDICES14BMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25		-	1 1	
3.3RESISTANCE TO DEGRADATION BY LIGHT123.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING12APPENDICES12AMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25				
3.4MASS PER UNIT AREA123.5SOLAR RADIATION TRANSMITTANCE123.6FLAMMABILITY123.7LABELLING12APPENDICES12AMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25		PERFORMANCE REQUIREMENTS	. 11	
3.5SOLAR RADIATION TRANSMITTANCE.123.6FLAMMABILITY123.7LABELLING12APPENDICESAMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC.BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25				
3.6FLAMMABILITY123.7LABELLING12APPENDICES12AMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25	-			
3.7LABELLING12APPENDICESAMETHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC14BMETHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25				
APPENDICES A METHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC				
 A METHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC	3.7	LABELLING	. 12	
 A METHOD FOR THE DETERMINATION OF COVER FACTOR OF SHADE PROTECTION FABRIC	APPENI	DICES		
PROTECTION FABRIC				
 B METHOD FOR THE DETERMINATION OF THE UV-VISIBLE TRANSMITTANCE OF SHADE PROTECTION FABRIC			.14	
TRANSMITTANCE OF SHADE PROTECTION FABRIC17CDETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT20DMETHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OFHUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMALSPECTRAL EFFECTIVENESS FUNCTION TABLE25	В			
 C DETERMINATION OF RESISTANCE TO DEGRADATION BY LIGHT			.17	
 D METHOD OF DETERMINATION OF ULTRAVIOLET EFFECTIVENESS OF HUMAN SHADE PROTECTION FABRICS	С			
HUMAN SHADE PROTECTION FABRICS22ECOMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE25				
E COMBINED SOLAR SPECTRAL IRRADIANCE AND ERYTHEMAL SPECTRAL EFFECTIVENESS FUNCTION TABLE	-		. 22	
SPECTRAL EFFECTIVENESS FUNCTION TABLE	Е			
	-		.25	
	F			



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation