

**AS 2439.1—2007**  
(Incorporating Amendment No. 1)

AS 2439.1—2007



## **Perforated plastics drainage and effluent pipe and fittings**

### **Part 1: Perforated drainage pipe and associated fittings**



This Australian Standard® was prepared by Committee PL-021, PVC, ABS and Polyamide Pipe Systems. It was approved on behalf of the Council of Standards Australia on 9 March 2007.

This Standard was published on 24 December 2007.

---

The following are represented on Committee PL-021:

- Australian Chamber of Commerce and Industry
  - Australian Nuclear Science & Technology Organisation
  - Certification Interests (Australia)
  - CSIRO Manufacturing & Infrastructure Technology
  - Energy Networks Association
  - Engineers Australia
  - Local Government New Zealand
  - Master Plumbers, Gasfitters and Drainlayers New Zealand
  - New Zealand Water & Waste Association
  - Plastics Industry Pipe Association of Australia
  - Plastics New Zealand
  - Water Services Association of Australia
- 

This Standard was issued in draft form for comment as DR 05546.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **[www.standards.org.au](http://www.standards.org.au)**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **[mail@standards.org.au](mailto:mail@standards.org.au)**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

**AS 2439.1—2007**  
(Incorporating Amendment No. 1)

**Australian Standard<sup>®</sup>**

**Perforated plastics drainage and  
effluent pipe and fittings**

**Part 1: Perforated drainage pipe and  
associated fittings**

Originated as AS 2439.1—1981.  
Second edition 2007.  
Reissued incorporating Amendment No. 1 (November 2018).

**COPYRIGHT**

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

Published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001, Australia

ISBN 0 7337 8290 6

## PREFACE

This Standard was prepared by the joint Standards Australia/Standards New Zealand Committee PL-021, PVC, ABS and Polyamide Pipe Systems to supersede AS 2439.1—1981.

*This Standard incorporates Amendment No. 1 (November 2018). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.*

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard

This Standard is part of a series on perforated plastics drainage and effluent pipe and fittings, as follows:

AS

- 2439 Perforated plastics drainage and effluent pipe and fittings
- 2439.1 Part 1: Perforated drainage pipe and associated fittings (this Standard)
- 2439.2 Part 2: Perforated effluent pipe and associated fittings for sewerage applications

The objective of this revision is to change the classification system for perforated drainage pipes. The performance of the pipes has not been altered but the manner in which the stiffness is designated has changed. The former stiffness classes 100, 200, 400 and 1000 have been replaced by stiffness classes SN2, SN4, SN8 and SN20 respectively. The SN classification is used in a range of Australian and International Standards for flexible pipes and the committee considered it appropriate to bring this Standard into line with the others.

This is a performance Standard and, therefore, all requirements and tests are related to end use. It is not the intention of the Standard to establish how strong the product is, but rather to determine if the product is strong enough to fulfil the desired function.

The requirements and tests contained in this Standard relate to field conditions as follows:

*Bending*—pipe is often bent at temperatures close to 0°C.

*Straightening*—coils are often unwound in cold conditions.

*High-temperature impact resistance*—pipe laid out in the hot sun must not be soft to the extent that it is damaged during backfilling.

*Low-temperature impact resistance*—pipe will not fail due to handling, fill material or degradation in service.

*Pipe stiffness*—pipe must be stiff enough to withstand the design loads after back-filling and settlement.

*Elongation*—pipe must not excessively elongate during installation.

*Joint separation*—joints must not separate when subjected to tensile forces induced when laying.

In the preparation of this Standard the committee gave consideration to the following documents:

- |            |   |
|------------|---|
| ISO        | TC 138/WG1-330—Draft Standard for Corrugated Polyethylene Drainage Tubing     |
| ASTM F 405 | Specification for Corrugated Polyethylene (PE) Tubing and Fittings            |
| BS 4962    | Specification for plastics pipes and fittings for use as subsoil field drains |

DIN 1187                      Unplasticized Polyvinyl Chloride (U-PVC); Dimensions, Requirements,  
Testing

Specifications used by the Roads and Traffic Authority, NSW

The term ‘normative’ has been used in this Standard to define the application of the appendix to which it applies. A ‘normative’ appendix is an integral part of a Standard.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-