This is a free page sample. Access the full version online. Superseded by AS 2480.2-1991

AS 2480—1986 UDC 614.83:621.3-213.4

# Australian Standard<sup>®</sup> 2480—1986

# ELECTRICAL EQUIPMENT FOR EXPLOSIVE ATMOSPHERES— FLAMEPROOF ENCLOSURE— TYPE OF PROTECTION d



STANDARDS ASSOCIATION OF AUSTRALIA

Incorporated by Royal Charter



This Australian standard was prepared by Committee EL/14, Electrical Equipment in Hazardous Locations. It was approved on behalf of the Council of the Standards Association of Australia on 6 February 1986 and published on 5 May 1986.

The following interests are represented on Committee EL/14:

Australian Coal Association

Australian Electrical and Electronic Manufacturers Association

Australian Institute of Petroleum

Confederation of Australian Industry

Department of Industrial Relations, N.S.W.

Department of Industry and Commerce

Department of Mineral Resources, N.S.W.

Department of Minerals and Energy, Vic.

Department of Mines, Qld

Electrical Contractors Associations of Australia

Electricity Supply Association of Australia

Independent testing interests

Insurance Council of Australia

State electricity regulatory authorities

Review of Australian Standards. To keep abreast of progress in industry, Australian standards are subject to periodic review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that standards users ensure that they are in possession of the latest edition, and any amendments thereto.

any amendments thereto. Full details of all SAA publications will be found in the Catalogue of SAA Publications; this information is supplemented each month by SAA's journal 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn standards.

Suggestions for improvements to Australian standards, addressed to the head office of the Association, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian standard should be made without delay in order that the matter may be investigated and appropriate action taken.

### AUSTRALIAN STANDARD

## ELECTRICAL EQUIPMENT FOR EXPLOSIVE ATMOSPHERES— FLAMEPROOF ENCLOSURE— TYPE OF PROTECTION d

## AS 2480-1986

First published (as AS C98) .... 1961 Revised ...... AS 2480 first published ..... .... 1970 Second edition (incorporating AS 2034-1982)...1986

PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA STANDARDS HOUSE, 80-ARTHUR ST, NORTH SYDNEY, N.S.W.



DAU

- 6 MAY

ISBN 0 7262 4114 8

÷ . ,

2

### PREFACE

This edition of this standard was prepared by the Association's Committee on Electrical Equipment in Hazardous Locations for the guidance of manufacturers, users, statutory authorities and associated interests and for use in association with the SAA Wiring Rules (AS 3000) and relevant mining regulations. It describes requirements in respect of design, construction and marking of flameproof enclosures and includes a section on testing. It supersedes both AS 2034—1982, Electrical Equipment for Explosive Atmospheres—Flameproof Electric Lighting Fittings, and AS 2480—1981.

In its terminology, definitions and general treatment of the subject, this standard is similar to corresponding draft specifications issued by the International Electrotechnical Commission and the British Standards Institution.

The major differences between this edition and AS 2480–1981 are as follows:

- (a) Amendment No 1 has been incorporated.
- (b) Requirements for lighting fittings (which were previously given in AS 2034) have been incorporated.
- (c) New requirements for plugs and sockets have been added.
- (d) A relaxation has been made (in Clause 2.11.1) in the wall thickness surrounding a threaded hole which forms part of a spigot joint.
- (e) The pipe sizes in Table 2.2 have been amended in order to align with the forthcoming new edition of AS 3000.
- (f) A new requirement for a bonding terminal has been added.
- (g) An amendment has been made to the pressure test in order to take account of any external pressures which might enter the flameproof enclosure in the event of a breakdown of a flexible partition such as a diaphragm or bellows.
- (h) A clarification has been incorporated in the requirements for operating rods and spindles.

#### ©Copyright - STANDARDS ASSOCIATION OF AUSTRALIA 1986

Users of standards are reminded that copyright subsists in all SAA publications. No part of this publication may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing of the Standards Association of Australia.

### CONTENTS

|                  |                              |                |        |        |        |        |      |      | Page     |
|------------------|------------------------------|----------------|--------|--------|--------|--------|------|------|----------|
| Forewo           | ORD                          | ••••           |        | ••••   | ••••   | ••••   | •••• | •••• | 4        |
| Section          | 1. Scope and General         |                |        |        |        |        |      | •    |          |
| <sup>°</sup> 1.1 | Scope                        |                |        | ••••   |        |        |      | •••• | 5        |
| 1.2              | Referenced Documents         |                |        | ••••   |        |        |      | •••• | 5        |
| 1.3              | Definitions                  |                |        |        |        |        |      | •••• | 5        |
| 1.4              | Grouping                     |                |        |        |        | ••••   |      |      | 6        |
| 1.4              | Temperature Classification   |                |        | ••••   |        | ••••   | •••• | •••• | 6        |
|                  | -                            | ••••           | ••••   | ••••   | ••••   | ••••   | •••• | •••• | - U      |
| Section          |                              |                |        |        |        |        |      |      |          |
| 2.1              | Enclosed Equipment           |                |        | ••••   | ••••   | ••••   | •••• | •••• | 9        |
| 2.2              | Earthing and Bonding Fac     | ilities        | ••••   | ••••   | ••••   | ••••   | •••• | •••• | 9        |
| 2.3              | Materials                    | ••••           | ····,  | ••••   | ••••   | ••••   | •••• | •••• | 9        |
| 2.4              | Mechanical Strength          | ••••           | ••••   | ••••   | ••••   | ••••   | •••• | •••• | 9        |
| 2.5              | Joints in the Structure of 1 | the Er         | ıclosu | re     | ••••   |        |      | •••• | 9        |
| 2.6              | Shafts and Bearings          |                | ••••   | ••••   | ••••   |        | •••• |      | 10       |
| 2.7              | Light Transmitting Parts     |                | ••••   |        | ••••   | ••••   | •••• | •••• | 11       |
| 2.8              | Breathing and Draining De    | evices         |        | ••••   | ••••   | ••••   |      |      | 11       |
| 2.9              | Bolts, Screws, Studs and N   | Nuts           | ••••   | ••••   | ·••••  |        |      | •••• | 11       |
| 2.10             | Shrouding of Nuts, Bolts,    | etc            |        | ••••   |        |        |      | •••• | 11       |
| 2.11             | Attachment of Parts and H    | <b>Fitting</b> | s (Fas | tening | gs)    | ••••   |      | •••• | 12       |
| 2.12             | Air-gap Inspection Openin    | gs for         | Moto   | ors an | d Ger  | ierato | rs   | •••• | 12       |
| 2.13             | Means for the Connection     | of Ex          | terna  | Circ   | uit Co | onduc  | tors | •••• | 12       |
| 2.14             | Terminals and Insulating E   | Bushes         |        |        |        |        |      | •••• | 12       |
| 2.15             | Terminal Boxes               |                |        |        |        |        |      | •••• | 13       |
| 2.16             | Conduit Stopper Boxes as     | Part           | of Ma  | in En  | closu  | e      |      |      | 13       |
| 2.17             | Plugs and Plug Sockets       | ••••           |        |        |        |        |      |      | 13       |
| 2.18             | Switchgear and Controlgear   |                |        |        |        |        |      |      | 13       |
| 2.19             |                              |                |        |        |        |        |      |      | 13       |
| 2.20             |                              |                |        |        |        |        |      |      | 13       |
|                  | -                            |                |        |        |        |        |      |      |          |
| Section          | 3. Tests                     |                |        |        | •      |        |      |      |          |
| 3.1              | General                      | ÷•••           | ••••   | ••••   | ••••   | ••••   | •••• | •••• | 25       |
| 3.2              | Dimensional Tests            | ••••           | ••••   | ••••   | ••••   | ••••   | •••• | •••• | 25       |
| 3.3              | Mechanical Tests             | ••••           | ••••   | ••••   | ••••   | ••••   | •••• | •••• | 25       |
| 3.4              | Impact Test                  | ••••           |        | ••••   | ••••   |        | •••• | •••• | 26       |
| 3.5              | Temperature-rise Test        |                | ••••   | ••••   |        |        | •••• | •••• | 26       |
| 3.6              | Degree of Protection Test    |                |        |        |        | ••••   |      | •••• | 26       |
| 3.7              | Routine Checks and Tests     | ••••           |        | ••••   | ••••   |        |      | •••• | 26       |
| 3.8              | Compliance with AS 3100      | ••••           | ••••   | ••••   | ••••   |        | •••• | •••• | 27       |
| Append           | ICES                         |                |        |        |        |        |      |      |          |
|                  | eneral Description of No     | rmal           | Dout   | ing T  | actina | Dro    | ood  | -0   | 29       |
|                  |                              |                |        |        |        |        |      |      | 29<br>31 |
| B In             | nformation to be Contained   | in Dfa         | awing  | SUIP   | iamep  |        |      | sure |          |
|                  | Cement for Sealing Windows   |                |        |        |        | ••••   | •••• | •••• | 32       |
| DP               | in Configurations and Dime   | ension         | S      |        |        |        |      |      | 34       |



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation