Australian Standard®

Safety devices for gas cylinders

This Australian Standard was prepared by Committee ME/2, Gas Cylinders. It was approved on behalf of the Council of Standards Australia on 11 September 1989 and published on 11 December 1989.

The following interests are represented on Committee ME/2:

ACT Administration - Office of City Management

Aluminium Development Council

Australian Assembly of Fire Authorities

Australian Chamber of Commerce

Australian Liquefied Petroleum Gas Association

Australian Underwater Federation

Bureau of Steel Manufacturers of Australia

Confederation of Australian Industry

Department of Defence

Department of Industrial Affairs, Qld

Department of Industrial Relations and Employment, N.S.W.

Department of Labour, S.A.

Department of Labour, Vic.

Department of Labour and Industry, Tas.

Department of Mines, Qld

Department of Occupational Health, Safety and Welfare, W.A.

Fire Protection Industry Association of Australia

Insurance Council of Australia

Railways of Australia Committee

The Australian Gas Association

Work Health Authority, N.T.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard®

Safety devices for gas cylinders

First published as AS B281 — 1969. Revised and redesignated as AS 2613 — 1983. Second edition 1989.

PREFACE

This Standard was prepared by the Standards Australia Committee on Gas Cylinders to supersede AS 2613—1983. The new edition is considered to be necessary to provide more specific requirements and clarification for the testing of pressure-relief valves.

A proposal from the gas cylinder industry was the basis for Appendix D and Appendix H. These Appendices treat pressure-relief valves as a special category of device, and introduce a repeat cycle in the test to show performance after an initial sequence of start-to-discharge, reseal, lift, full discharge, and reseal.

This edition has been restructured to separate performance requirements from test methods. Changes of a technical nature are made in Clauses 1.4, 4.1, 4.3, and 4.6.

Investigations of safety relief of LP gas fuel vessels for automotive vehicles have confirmed that the effects of any safety device discharge channel can be critical. The requirements for discharge from an automotive LP gas vessel have been incorporated in a new edition of AS 1425, SAA Automotive LP Gas Code. For gas cylinders covered by any Part of AS 2030, SAA Gas Cylinder Code, safety relief device rating is to take into account the full effects of any discharge channel.

It is recognized that not all types of safety devices for gas cylinders fit into the categories provided by the Standard and it should be noted that certain government departments may have regulations setting different requirements from those in this Standard, e.g. the Navigation Act Classified List of Dangerous Goods and Air Navigation Orders.

© Copyright - STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

3

		Page
SECTION	V 1. SCOPE AND GENERAL	
1.2 1.3	SCOPE REFERENCED DOCUMENTS DESIGNATION DEFINITIONS	4
SECTION	2. SELECTION AND PERFORMANCE REQUIREMENTS	
2.2 2.3	SELECTION FLOW RATE FLOW-RATING PRESSURE OF A PRESSURE-RELIEF VALVE START-TO-DISCHARGE PRESSURE OF A PRESSURE-RELIEF	6
	VALVE	
SECTION	3. MATERIALS, DESIGN, AND CONSTRUCTION	
	GENERAL	
SECTION	14. PERFORMANCE UNDER TEST	
4.2 4.3	GENERAL	8
4.5	PRESSURE-RELIEF VALVES RETESTS AFTER-SERVICE RETESTS	8
SECTION	5. IDENTIFICATION AND MARKINGS	
5.2 5.3 5.4	ALL SAFETY DEVICES INDIVIDUAL COMPONENTS OF BURSTING DISC ASSEMBLIES FUSIBLE PLUGS PRESSURE-RELIEF VALVES COMBINATION SAFETY DEVICES	9 9 9
APPEND	ICES	
	TEST METHOD FOR YIELD TEMPERATURE OF A SEPARATE FUSIBLE PLUG	10
C D	MATERIAL	
E	VALVES	13 15
F	TEST METHOD FOR BURSTING PRESSURE OF A BURSTING DISC	
G	TEST METHOD FOR EXTRUSION OF AN UNREINFORCED FUSIBLE OR REINFORCED FUSIBLE PLUG	
H	TEST METHODS FOR FLOW RATING OF GAS SAFETY RELIEF DEVICES	
J	TEST METHOD FOR BURSTING PRESSURE AND YIELD TEMPERATURE OF A COMBINED BURSTING DISC/FUSIBLE PLUG DEVICE	
	FORMAT OF APPROVAL APPLICATION	



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation