

AS 3750.1—1994

Australian Standard[®]

Paints for steel structures

**Part 1: Epoxy mastic
(two-pack)—For rusted steel**

This Australian Standard was prepared by Committee CH/3, Paints and Related Materials. It was approved on behalf of the Council of Standards Australia on 2 July 1993 and published on 19 September 1994.

The following interests are represented on Committee CH/3:

Australasian Corrosion Association
Australian Paint Manufacturers Federation
AUSTROADS
Government Paint Committee
Railways of Australia Committee
Standards New Zealand

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 92103.

AS 3750.1—1994

Australian Standard[®]

Paints for steel structures

Part 1: Epoxy mastic (two-pack)—For rusted steel

First published as AS 3750.1— 1994.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 8393 2

PREFACE

This Standard was prepared by the Standards Australia Committee on Paints and Related Materials, under the direction of the Multitechnics Standards Policy Board. It forms part of a series of product Standards for paints referred to in AS 2312, *Guide to the protection of iron and steel against exterior atmospheric corrosion*.

The following Standards in this series have been published:

AS

- 2364 Paints for steel structures—High-build epoxy (two-pack)
- 2602 Paints for steel structures—Full gloss polyurethane (two-pack)
- 2603 Paints for steel structures—Full gloss epoxy (two-pack)
- 2672 Paints for steel structures—Chlorinated rubber, high build
- 2673 Paints for steel structures—Alkyd/micaceous iron oxide
- 2674 Paints for steel structures—Epoxy primer (two-pack)
- 3884 Etch primers (single-pack and two-pack) for pretreating metal surfaces
- 3885 Paints for steel structures—Galvanized and zinc primed—Latex
- 3886 Paints for steel structures—Vinyl paint—High-build
- 3887 Paints for steel structures—Coal tar epoxy (two-pack)

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	4
1.2 REFERENCED DOCUMENTS	4
1.3 DEFINITIONS	4
1.4 SAFETY PRECAUTIONS	5
SECTION 2 MATERIAL REQUIREMENTS	
2.1 GENERAL	6
2.2 CONDITIONS OF TEST	6
2.3 LIQUID PAINT	6
2.4 SPRAY APPLICATION PROPERTIES	6
2.5 APPLIED FILM	7
2.6 MIXING RATIO	8
2.7 ADDITIONAL TESTS	8
SECTION 3 PACKAGING AND LABELLING	
3.1 PACKAGING	10
3.2 LABELLING	10
APPENDICES	
A PURCHASING GUIDELINES	11
B GUIDANCE ON THE USE AND APPLICATION OF EPOXY MASTIC PAINT	12
C MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD .	15
D REFERENCED DOCUMENTS	17
E PREPARATION OF TEST PANELS	19
F DETERMINATION OF THE CURING PROPERTIES OF AN EPOXY MASTIC	20
G ASSESSMENT OF RESISTANCE OF AN EPOXY MASTIC TO WATER	22
H ASSESSMENT OF RESISTANCE OF AN EPOXY MASTIC TO MINERAL OIL	24
I ASSESSMENT OF RESISTANCE OF AN EPOXY MASTIC TO ALKALI AND ACID	26
J PROCEDURE FOR TESTING DURABILITY OF AN EPOXY MASTIC	28
K ADDITIONAL TESTS	29

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-