AS/NZS 3500.3.2:1998

# Australian/New Zealand Standard™

## National plumbing and drainage

Part 3.2: Stormwater drainage— Acceptable solutions





Building Code of Australia primary referenced Standard

#### AS/NZS 3500.3.2:1998

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee WS/20, Stormwater. It was approved on behalf of the Council of Standards Australia on 1 May 1998 and on behalf of the Council of Standards New Zealand on 15 May 1998. It was published on 5 June 1998.

The following interests are represented on Committee WS/20:

Association of Consulting Engineers, Australia Association of Hydraulic Services Consultants, Australia Australasian Institute of Chartered Loss Adjusters Australian Aluminium Council Australian Chamber of Commerce and Industry Australian Chamber of Manufactures Bureau of Meteorology (Australia) Department of Land and Water Conservation, N.S.W Department of Local Government and Planning, Qld Local Government Office, Tas. Master Builders Australia Master Plumbers and Mechanical Services Association of Australia Master Plumbers Australia New Zealand Local Government Association New Zealand Manufacturers Federation New Zealand Water and Wastes Association Plastics and Chemical Industries Association (Australia) Plastics Institute of New Zealand Plumbing Industry Board, Victoria Royal Melbourne Institute of Technology University of Technology, Sydney Department of Administrative Services - Australia

**Review of Standards.** To keep abreast of progress in industry, Joint Australian/ New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 96171.

### AS/NZS 3500.3.2:1998

# Australian/New Zealand Standard™

## National plumbing and drainage

Part 3.2: Stormwater drainage— Acceptable solutions

Originated in Australia in part as part of AS CS3—1931. Previous editions AS 2180—1986 and AS 3500.3—1990. AS 2180—1986 and AS 3500.3—1990 jointly revised, amalgamated and redesignated in part as AS 3500.3.2:1998.

Incorporating: Amdt 1—1998

Published jointly by:

Standards Australia 1 The Crescent, Homebush NSW 2140 Australia

Standards New Zealand Level 10, Radio New Zealand House, 155 The Terrace, Wellington 6001 New Zealand

#### PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee WS/20, Stormwater, to supersede AS 2180—1986, *Metal rainwater goods*—Selection and installation, and AS 3500.3—1990, National Plumbing and Drainage Code, Part 3: Stormwater drainage.

This Standard is part of a series, as follows:

AS 3500.3.1 Part 3.1: Stormwater drainage—Performance requirements

AS/NZS 3500.3.2 Part 3.2: Stormwater drainage—Acceptable solutions (this Standard)

Stormwater drainage—Methods for verification (Part 3.3) is in the course of preparation.

The objective of this Standard is to provide installers with acceptable solutions for materials and products and design and installation of stormwater drainage systems. These solutions are not intended to exclude the use of other solutions.

This edition sets out acceptable solutions for the following:

- (a) Roof drainage systems:
  - (i) A general method for design incorporating recent Australian research on the following:
    - (A) *Eaves gutter systems*—procedures similar to those of AS 2180—1986 but with significant decreases in the ratios for the effective cross-sectional area of eave gutter to vertical downpipes.
    - (B) Box gutter systems—procedures similar to those in AS 2180—1986 with additional procedures for sump/side overflow and sump/high-capacity overflow devices.
    - (C) Valley gutters—procedures based on research published in 1988 by Martin and Tilley (see Paragraph A2).
  - (ii) Installation, based on modifications and additions to AS 2180-1986.
- (b) Surface drainage systems:
  - (i) Nominal and general methods for design.
  - (ii) Installation, based on modifications and additions to AS 3500.3—1990.
- (c) Subsoil drainage systems design and installation, based on modifications and additions to AS 3500.3—1990.

The advantage of the roof drainage general method is the relative simplicity of its application. Continuing analysis of available experimental data is expected to result in new procedures for the design of—

- (a) valley gutters; and
- (b) eaves gutters with bends at various gradients for a wide range of cross-sections, sizes and depth to width ratios of 1:0.4 to 1:3.0.

Statements expressed in mandatory terms in notes to figures and tables are deemed to be requirements of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

### CONTENTS

#### Page

SECTIO	N 1 SCOPE AND GENERAL	
1.1	SCOPE AND APPLICATION	6
1.2	REFERENCED DOCUMENTS	6
1.3	DEFINITIONS	6
1.4	NOTATION	8
1.5	STORMWATER DRAINAGE INSTALLATION PLANS	11
1.6	IDENTIFICATION	11
1.7	PROTECTION OF WORKS	11
1.8	POSITION AND MANNER OF DISCHARGE	12
SECTIO	N 2 MATERIALS AND PRODUCTS	
2.1	SCOPE OF SECTION	13
2.2	SELECTION AND USE	13
2.3	ROOF DRAINAGE SYSTEM	13
2.5	STORMWATER DRAINS (NON-PRESSURE)	14
2.4	RISING MAINS (PRESSURE)	15
2.5	SUBSOIL DRAINS	15
2.0	IOINTS	15
2.7	VALVES	16
2.0		16
2.9	EMBEDMENT MATERIAI	17
2.10		17
2.11	MISCELLANEOUS	17
2.12		18
2.13	RE-USE	18
2.17		10
SECTIO	N 3 ROOF DRAINAGE SYSTEMS— DESIGN	
3.1	SCOPE OF SECTION	19
3.2	GENERAL METHOD	19
3.3	METEOROLOGICAL CRITERIA	19
3.4	CATCHMENT AREA	20
3.5	EAVES-GUTTER SYSTEMS	24
3.6	VALLEY GUTTERS	29
3.7	BOX GUTTER SYSTEMS	30
3.8	SOAKERS	31
SECTIO	N 4 ROOF DRAINAGE SYSTEMS—INSTALLATIONS	
4.1	SCOPE OF SECTION	38
4.2	TRANSPORT. HANDLING AND STORAGE	38
4 3	THERMAL VARIATION	38
4 4	CORROSION	38
4 5	INSTALLATION AND TESTING	39
4.6	INSPECTION AND CLEANING	42
47	ALTERATIONS AND DISCONNECTION	42
4 8	EAVES GUTTERS	42



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation