

AS 2758.1—1998

Australian Standard<sup>®</sup>

---

**Aggregates and rock for  
engineering purposes**

**Part 1: Concrete aggregates**

---

This Australian Standard was prepared by Committee CE/12, Aggregates and Rock for Engineering Purposes. It was approved on behalf of the Council of Standards Australia on 21 November 1997 and published on 5 February 1998.

---

The following interests are represented on Committee CE/12:

ARRB Transport Research  
Australasian Railway Association  
Australasian Slag Association  
Australian Asphalt Pavement Association  
Australian Geomechanics Society  
Australian Premixed Concrete Association  
Australian Stone Industry Association  
AUSTROADS  
Bureau of Steel Manufacturers of Australia  
Cement and Concrete Association of Australia  
CSIRO—Division of Building, Construction and Engineering  
Crushed Stone Association of Australia  
Crushed Stone Association (Qld)  
Institute of Municipal Engineering Australia, New South Wales Division  
Monash University  
National Association of Testing Authorities, Australia  
National Public Works Council  
National Ready Mixed Concrete Association of New South Wales  
Quarry Masters Association of New South Wales

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

*This Standard was issued in draft form for comment as DR 96269.*

AS 2758.1—1998

Australian Standard<sup>®</sup>

---

**Aggregates and rock for  
engineering purposes**

**Part 1: Concrete aggregates**

---

Originated as part of AS A24—1934.  
Previous edition AS 2758.1—1985.  
Second edition 1998.

PUBLISHED BY STANDARDS AUSTRALIA  
(STANDARDS ASSOCIATION OF AUSTRALIA)  
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7337 1730 6

## PREFACE

This Standard was prepared by the Standards Australia Committee CE/12, Aggregates and Rock for Engineering Purposes, to supersede AS 2758.1—1985.

This Standard is part of a series which covers specification of aggregates and rock. The other Parts are as follows:

- Part 2: Aggregate for sprayed bituminous surfacing
- Part 5: Asphalt aggregates
- Part 7: Railway ballast

This Standard is called up by AS 3600, *Concrete structures*. In this Standard, extensive reference is made to AS 1141, *Methods for sampling and testing aggregates*, which is designed to include all aggregate tests, not only those for concrete.

The following clauses cover properties that are required to be known for a mix design and the works specification should provide choices or limits for them:

- (a) Clause 7.1, for particle density.
- (b) Clause 7.2, for bulk density.
- (c) Clause 7.3, for water absorption.
- (d) Clause 8.1, for particle size distribution.
- (e) Clause 10, for alkali aggregate reactivity.
- (f) Clause 14.3, for soluble salts if above the limits given.

The remaining aggregate properties in this Standard are given limits.

Durability of coarse aggregate is related to the use of concrete and its exposure and is not a mix design factor. The works specification should select an exposure classification and a method of assessment (see Clause 9.3).

NOTE: Exposure classifications for various uses of concrete can be found in Appendix A. Appendix B gives information on petrological terminology and classification of aggregate sources including particle shape and texture.

When works specifications are being drafted by consultants or engineers based on this Standard, it is intended that only one procedure be nominated for each property being specified. A specification is likely to lead to conflict if more than one procedure is specified for a particular property (see coarse aggregate durability).

It is recognized that satisfactory concrete can sometimes be made with aggregates which will not comply with this Standard in all respects, but the use of such aggregates should be authorized only after special testing or consideration of previous experience with the particular aggregates concerned.

It is also recognized that concrete for specialized requirements may necessitate more stringent limits for aggregates than those given in this Standard.

It should be noted that compliance with the grading requirements given in Tables 1 and 3 will not necessarily ensure the production of workable concrete in all mix proportions. The determination of mix proportions should be related to the actual nature and grading of the aggregates to be used.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

## CONTENTS

|   | <i>Page</i> |
|---|-------------|
| 1 SCOPE . . . . .   | 4           |
| 2 APPLICATION . . . . .   | 4           |
| 3 REFERENCED DOCUMENTS . . . . .                                | 4           |
| 4 DEFINITIONS . . . . .   | 5           |
| 5 SAMPLING . . . . .  | 6           |
| 6 TESTING . . . . .   | 6           |
| 7 GENERAL REQUIREMENTS . . . . .                                | 6           |
| 8 DIMENSIONAL REQUIREMENTS . . . . .                            | 7           |
| 9 DURABILITY . . . . .  | 10          |
| 10 ALKALI-REACTIVE MATERIALS . . . . .                          | 13          |
| 11 WEAK PARTICLES IN COARSE AGGREGATE . . . . .                 | 13          |
| 12 LIGHT PARTICLES . . . . .                                    | 13          |
| 13 DRYING SHRINKAGE . . . . .                                   | 13          |
| 14 IMPURITIES . . . . .   | 14          |
| 15 ADDITIONAL REQUIREMENTS FOR SLAG AGGREGATES . . . . .        | 14          |
| 16 ADDITIONAL REQUIREMENTS FOR LIGHTWEIGHT AGGREGATES . . . . . | 15          |
| <br>APPENDICES  |             |
| A EXPOSURE CLASSIFICATIONS . . . . .                            | 16          |
| B TERMINOLOGY AND CLASSIFICATION (PETROLOGICAL) . . . . .       | 19          |

## © Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-