

AS 3706.2-2012 (Reconfirmed) 2023-09-13

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 3706.2-2012

Geotextiles — Methods of test

Method 2: Determination of tensile properties—Wide strip and grab method

RECONFIRMATION NOTICE

Technical Committee CE-020 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 06 September 2023.

The following are represented on Technical Committee CE-020:

Association of Land Development Engineers

Austroads Ltd.

AWTA Product Testing (Testing Interests Australia)

Chamber of Commerce and Industry Queensland

Consult Australia

Department of Transport and Main Roads (QLD)

Engineers Australia / Australian Geomechanics Society

Institute of Public Works Engineering Australasia

Technical Textile and Nonwoven Association

Waste Management and Resource Recovery Association of Australia

Australian Standard®

AS 3706.2—2012

Geotextiles—Methods of test

Method 2: Determination of tensile properties— Wide strip and grab method

1 SCOPE

This Standard sets out the method for determining the tensile properties of geotextiles in both atmospheric and wet conditions.

2 APPLICATION

This method is applicable to all types of geotextiles, but has limitations for high strength materials (i.e. those having a tensile strength in excess of approximately 85 kN/m) due to specimens slipping in the jaws.

3 REFERENCED DOCUMENTS

The following documents are referred to in this Standard:

AS

2193 Calibration and classification of force-measuring systems

3704 Geotextiles—Glossary of terms

3706 Geotextiles—Methods of test

3706.1 Method 1: General requirements, sampling, conditioning, basic physical properties and statistical analysis

BS EN ISO

10319 Geosynthetics. Wide width tensile test

ASTM

D4595 Test method for tensile properties of geotextiles by the wide width strip method

D4632 Standard test method for grab breaching load and elongation of geotextiles

4 PRINCIPLE

The specimen is gripped in the jaws of a tensile testing machine that is operated at a prescribed constant rate of extension. A longitudinal force is applied to the specimen until it ruptures (breaks). Various tensile properties of the test specimen are recorded.

5 DEFINITIONS

For the purpose of this Standard, the definitions given in AS 3704 apply.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-