AS/NZS 3191:1996 (Incorporating Amendment Nos 1, 2, 3 and 4)

Australian/New Zealand Standard[™]

Approval and test specification— Electric flexible cords





AS/NZS 3191:1996 This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-003, Electric Wires and Cables. It was approved on behalf of the Council of Standards Australia on 5 May 1996 and on behalf of the Council of Standards New Zealand on 20 May 1996. It was published on 5 August 1996.

The following are represented on Committee EL-003:

Australian Electrical and Electronic Manufacturers Association Department of Defence, Australia Electrical regulatory authorities Electricity Supply Association of Australia Ministry of Commerce, New Zealand New Zealand Electrical Contractors Association New Zealand Electrical and Electronic Manufacturers Federation Office of Energy, N.S.W. Railways of Australia Committee **Testing interests**

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 95337.

AS/NZS 3191:1996 (Incorporating Amendment Nos 1, 2, 3 and 4)

Australian/New Zealand Standard[™]

Approval and test specification— Electric flexible cords

Originated in Australia as part of AS C147—1950. Previous edition in Australia AS 3191—1994. Previous edition in New Zealand NZS/AS 3191:1994. Jointly revised and designated AS/NZS 3191:1996. Reissued incorporating Amendment No. 1 (April 1997). Reissued incorporating Amendment No. 2 (June 1998). Reissued incorporating Amendment No. 3 (April 1999). Reissued incorporating Amendment No. 4 (July 2002).

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 0604 5

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-003 on Electric Wires and Cables to supersede AS 3191—1994, Approval and test specification—Electric flexible cords.

This Standard incorporates Amendment No. 1 (April 1997), No. 2 (June 1998), No. 3 (April 1999) and No. 4 (July 2002). The changes required by the Amendments are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

This Standard is one of series of Approval and Test Specifications issued by Standards Australia and Standards New Zealand. In Australia, these Standards are to be read in conjunction with AS 3100, *Approval and test specification—General requirements for electrical equipment*. In New Zealand, they are to be read in conjunction with NZS 6200, *Specification for general requirements for electrical apparatus and materials*. The purpose of these Standards is to outline the conditions which must be met to secure approval for the sale and use of electrical equipment. Only safety matters and related conditions are covered.

The nominal cross-sectional areas of the conductors specified in this Standard are identical with the values recommended in IEC 228, *Conductors of insulated cables*.

Where the equivalent cords exist in IEC Standards, the dimensions for insulation and sheath thicknesses have been adopted in this Standard. This is the case for thermoplastic PVC and crosslinked elastomer insulated flexible cords, where these dimensions are identical with the values for the corresponding cords in IEC 227, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V* and IEC 245, *Rubber insulated cables—Rated voltages up to and including 450/750 V* respectively. The temperature ratings and hence properties of insulation and sheath materials for these dimensionally equivalent cords, however, are quite different.

There are no current equivalent IEC Standards for flexible cords insulated with crosslinked PVC, thermoplastic elastomer, glass fibre or thermoplastic fluoropolymer.

The objective of the Standard is to specify construction, dimensions and tests for flexible cords insulated with thermoplastic or crosslinked PVC, thermoplastic or crosslinked elastomers, glass fibre or thermoplastic fluoropolymers which, dependent on cord type, are designed for working voltages up to and including 250/250 V, 250/440 V or 0.6/1 kV.

This Standard differs from the 1994 edition as follows:

- (a) R-EP-90, R-CSP-90 and R-CPE-90 insulated conductors may be plain or tinned. Fluropolymer insulated conductors need not be tinned for 150°C temperature and shall be tinned, silver-plated or nickel-coated for 200°C temperature.
- (b) GP-85-PCP and HD-85-PCP sheaths have been added.
- (c) V-90 insulation and 5V-90 sheaths have been added to Clauses 2.10.11 and 2.10.12.
- (d) Crosslinked PVC and thermoplastic elastomer insulated cords have been added.
- (e) Kink resistant thermoplastic elastomer cords have been added.
- (f) A test for resistance to heat of textile braid has been added.
- (g) The Standard has been issued as a Joint Australian/New Zealand Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

3

CONTENTS

Page

SECTIO	N 1 SCOPE AND GENERAL
1.1	SCOPE
1.2	REFERENCED DOCUMENTS7
1.3	DEFINITIONS7
1.4	MAXIMUM CONTINUOUS CONDUCTOR TEMPERATURE
1.5	VOLTAGE DESIGNATION
SECTIO	N 2 THERMOPLASTIC PVC OR CROSSLINKED ELASTOMER INSULATED
FLEXIB	LE CORDS
2.1	CONDUCTORS
2.2	INSULATION
2.3	LAY-UP OF CORES
2.4	FILLERS AND BINDERS
2.5	SCREENS
2.6	SHEATH
2.7	NON-METALLIC BRAID
2.8	MARKING
2.9	TESTS
2.10	CONSTRUCTION AND DIMENSIONS
SECTIO	N 3 CROSSLINKED PVC INSULATED FLEXIBLE CORDS
3.1	CONDUCTORS
3.2	INSULATION
3.3	LAY-UP OF CORES
3.4	FILLERS AND BINDERS
3.5	SHEATH
3.6	TEXTILE BRAID
3.7	MARKING
3.8	TESTS
3.9	CONSTRUCTION AND DIMENSIONS
SECTIO	N 4 THERMOPLASTIC ELASTOMER INSULATED FLEXIBLE CORDS
4.1	GENERAL
4.2	CONDUCTORS
4.3	INSULATION
4.4	LAY-UP OF CORES
4.5	FILLERS AND BINDERS
4.6	SCREENS
4.7	SHEATH
4.8	TEXTILE BRAID
4.9	MARKING
4.10	TESTS
4.11	CONSTRUCTION AND DIMENSIONS



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation