AS 60947.2—2005 IEC 60947-2, Ed.3 (2003)

Australian Standard[™]

Low-voltage switchgear and controlgear

Part 2: Circuit-breakers



This Australian Standard was prepared by Committee EL-006, Industrial Switchgear and Controlgear. It was approved on behalf of the Council of Standards Australia on 3 March 2005. This Standard was published on 5 April 2005

This Standard was published on 5 April 2005.

The following are represented on Committee EL-006:

Australasian Railway Association Australian Chamber of Commerce and Industry Australian Electrical and Electronic Manufacturers Association Bureau of Steel Manufacturers of Australia Electrical Contractors Association of New Zealand Electricity Supply Association of Australia Independent Electrical Switchboard Manufacturers Association Institution of Engineers Australia Ministry of Economic Development New Zealand National Electrical and Communications Association Testing Interests (Australia) WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian StandardsTM and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 04162.

Australian Standard[™]

Low-voltage switchgear and controlgear

Part 2: Circuit-breakers

Originated as AS 3858—1990. Revised and redesignated AS 3947.2—1997. Jointly revised and designated AS/NZS 3947.2:2002. Revised and redesignated as AS 60947.2—2005.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 5420, Sydney, NSW 2001, Australia ISBN 0 7337 6583 1

ii

PREFACE

This Standard was prepared by the Standards Australia Committee EL-006, Industrial Switchgear and Controlgear to supersede AS/NZS 3947.2:2002.

The objective of this Standard, in addition to that stated in Clause 1, is to bring Australian requirements into line with Edition 3.0 (2003-04) of IEC 60947-2.

This Standard is Part 2 of a series which, when complete, will consist of the following:

AS 60947 Low-voltage switchgear and controlgear

110 00 17	Low volta	ge switcingeur und controlgeur
AS 60947.1*	Part 1:	General rules
AS 60947.2*	Part 2:	Circuit-breakers (this Standard)
AS 60947.3	Part 3:	Switches, disconnectors, switch-disconnectors and fuse- combination units
AS 60947.3 Supp1	Part 3:	Switches, disconnectors, switch-disconnectors and fuse- combination units, Supplement 1: Fuse-switch- disconnectors and switch-disconnectors for use with low- voltage aerial bundled cables
AS 60947.4.1*	Part 4.1:	Contactors and motor-starters—Electromechanical contactors and motor-starters
AS 60947.4.2*	Part 4.2:	Contactors and motor-starters—A.C. semiconductor motor controllers and starters
AS 60947.4.3	Part 4.3:	Contactors and motor-starters—A.C. semiconductor controllers and contactors for non-motor loads
AS 60947.5.1*	Part 5.1:	Control circuit devices and switching elements—Electro- mechanical control circuit devices
AS 60947.5.2*	Part 5.2:	Control circuit devices and switching elements—Proximity switches
AS 60947.5.3	Part 5.3:	Control circuit devices and switching elements— Requirements for proximity devices with defined behaviour under fault conditions
AS 60947.5.4*	Part 5.4:	Control circuit devices and switching elements—Methods of assessing the performance of low-energy contacts– Special tests
AS 60947.5.5	Part 5.5:	Control circuit devices and switching elements—Electrical emergency stop devices with mechanical latching function
AS 60947.5.6	Part 5.6:	Control circuit devices and switching elements—D.C. interface for proximity sensors and switching amplifiers (NAMUR)
AS 60947.5.7*	Part 5.7:	Control circuit devices and switching elements— Requirements for proximity devices with analogue output
AS 60947.6.1	Part 6.1:	Multiple function equipment—Automatic transfer switching equipment
AS 60947.6.2*	Part 6.2:	Multiple function equipment—Control and protective switching devices (or equipment) (CPS)
AS 60947.7.1*	Part 7.1:	Ancillary equipment—Terminal blocks for copper conductors
AS 60947.7.2*	Part 7.2:	Ancillary equipment—Protective conductor terminal blocks for copper conductors

iii

AS 60947.7.3*	Part 7.3:	Ancillary equipment—Safety requirements for terminal blocks for the reception of cartridge fuse-links
AS 60947.8*	Part 8:	Control units for built-in thermal protection for rotating machines

It is the intention of the Standards Australia Committee to align the numbering of this series of Standards with that of the corresponding IEC 60947 series of Standards.

Standards from the list above that are marked with an asterisk (*) are, at the time of publication of this document, available as a part of the AS 60947 series of Standards.

Standards that are not so marked remain as AS(/NZS) 3947 series Standards. Following the next amendment or revision of the corresponding IEC Standard, each of these Standards remaining in the AS(/NZS) 3947 series will be revised and renumbered as a part of the AS 60947 series.

This Standard is identical with, and has been reproduced from IEC 60947-2, Ed.3(2003), Low-voltage switchgear and controlgear—Part 2: Circuit-breakers.

AS 2184—1985 Low-voltage switchgear and controlgear—Moulded-case circuit-breakers for rated voltages up to and including 600 V a.c. and 250 V d.c. will be replaced by this Standard on 5 June 2007, on which date AS 2184—1985 will be withdrawn.

However for the regulatory purpose of approval renewal to AS 3111, a test report conforming to the appropriate requirements of AS 2184 is an accepted alternative to the requirement of test sequence III, I_{cu} stated in this Standard.

This Standard differs from AS/NZS 3947.2:2002 in the following areas:

- (a) References listed in Clause 1.2 Normative references have been updated.
- (b) Clause 5.2 *Marking* has been updated.
- (c) Clause 7.1 *Constructional requirements* has been revised.
- (d) Clause 7.1.6 Additional requirements for circuit-breakers provided with a neutral pole has been added.
- (e) Tests of Clauses 8.3.3, 8.3.4, 8.3.5 and 8.3.6 have been added.
- (f) Annex B Circuit-breakers incorporating residual current protection has been updated.
- (g) Annex F Additional test for circuit-breakers with electronic over-current protection has been rewritten.
- (h) In Annex J Electromagnetic compatibility (EMC)—Requirements and tests for circuitbreakers, Table J1 has been revised.
- (i) Annex L Circuit-breakers not fulfilling requirements for overcurrent protection has been added.
- (k) Annex M has been added.
- (l) Annex N has been added.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text 'this standard' should read 'this Australian Standard'.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the annex to which they apply. A 'normative' annex is an integral part of a Standard, whereas an 'informative' annex is only for information and guidance.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation