This is a free page sample. Access the full version online.

SS BY
AS/NZS 2648.1-1995
AS/NZS 4275.1-6:1995

DR 94200
94201-207

AS 2648, Part 1—1983
UDC 678.5-418:621-777

Australian Standard 2648, Part 1—1983

Amdt 1.
2
3

UNDERGROUND MARKING TAPE
Part 1—NON-DETECTABLE TAPE

AS/NZS 2648
Underground marking tape

AS/NZS 2648.1:1995
Non-detectable tape 6pp CC
Specifies requirements for printed underground marking tape suitable for use in conjunction with underground public utility services as a means of indicating the proximity of a service. It applies to tape which is not detectable by metal detectors.
(PL/30): Supersedes AS 2648.1—1983 (in part) Publication date

STANDARDS ASSOCIATION OF AUSTRALIA
7 OCT 1993
MELBOURNE LIBRARY

STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

D

This is a free page sample. Access the full version online.

This Australian standard was prepared by Committee PL/30, Plastics Underground Warning Strips. It was approved on behalf of the Council of the Standards Association of Australia on 9 June 1983 and published on 5 September 1983.

The following interests are represented on Committee PL/30:

Australian Gas Association

Confederation of Australian Industry

Department of Transport

Electricity Supply Association of Australia

Melbourne City Council

Melbourne and Metropolitan Board of Works

Plastics Institute of Australia Incorporated

To keep abreast of progress in industry, Australian standards are subject to continuous review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that standards users ensure that their standards are up-to-date. Full details of all SAA publications will be found in the Annual List of Australian Standards; these details are supplemented by listings in the SAA monthly journal 'The Australian Standard'. Information on the Annual List and 'The Australian Standard' may be obtained from any sales office of the Association, where details are also available of the current status of individual standards. Suggestions for improvements to published standards, addressed to the head office of the Association, are welcomed.

This standard was issued in draft form for comment as DR 81154.

This is a free page sample. Access the full version online.

STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

AMENDMENT No 1
to
AS 2648—1983
UNDERGROUND MARKING TAPE
PART 1—NON-DETECTABLE TAPE

REVISED TEXT

SUMMARY: This amendment applies to Table 1 and Clause 6 Note 1.
Published on 9 November 1984.

Page 4. Table 1. AMDT No 1 NOV. 1984

Add to table as follows:

Underground service	Tape colour	Preferred colour
Sewerage	Cream	BS 4800 No. 10 C31

Page 4. Note 1 to Table. AMDT No 1 NOV. 1984

Delete existing Note and *substitute*:

1. The revision* of the former AS K185, Colours for Specific Purposes, will include the above BS 381C and BS 4800 colours under the following proposed references and names:

Orange	AS 2700 Y14
Canary	AS 2700 Y11
Jade	AS 2700 G11
Signal Red	AS 2700 R13
Straw	AS 2700 Y24

When the Australian standard is published, reference to the AS colours may be made in lieu of those in the British standards.

This is a free page sample. Access the full version online.

STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

AMENDMENT No 3
to
AS 2648, Part 1—1983
UNDERGROUND MARKING TAPE
PART 1—NON-DETECTABLE TAPE

REVISED TEXT

SUMMARY: This amendment applies to Clause 7.

Published on 5 December 1986.

AMDT No 3 DEC. 1986

Page 5. Clause 7.

Delete '...100 mm' for maximum internal diameter of roll former and *replace* with '...105 mm'.

Delete '...piece' and *replace* with '...continuous length from periphery to core, not precluding the use of splices. Splices shall be a minimum of 500 m apart.

Spliced tape shall meet the requirements of Clause 9.1(a).

X

This is a free page sample. Access the full version online.

STANDARDS ASSOCIATION OF AUSTRALIA

Incorporated by Royal Charter

AMENDMENT No 2
to
AS 2648, Part 1—1983
UNDERGROUND MARKING TAPE
Part 1—NON-DETECTABLE TAPE

REVISED TEXT

SUMMARY: This amendment applies to Appendix B, Clause B3(b) Micrometer. Appendix C, Clause C2(c) Micrometer. Appendix D, Clause D2.4 Dart.

Published on 10 May 1985.

Page 7. Clause B3(b) Micrometer.

Delete '1.2 N' for spindle head force and *replace* with '1.2 ± 0.3 N'.

AMDT No 2 MAY 1985

Page 10. Clause C2(c) Micrometer.

Delete '1.2 N' for spindle head force and *replace* with '1.2 ± 0.3 N'.

AMDT No 2 MAY 1985

Page 12. Clause D2.4 Dart.

Insert after 'aluminium'—'or other suitable material'.

AMDT No 2 MAY 1985

COPYRIGHT

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation