## Australian Standard™

Elastomeric seals for waterworks purposes

Part 2: Material requirements for pipe joint seals used in water and wastewater applications—Specified by prescriptive formulation



This Australian Standard was prepared by Committee WS/10, Flexible Jointing Gaskets. It was approved on behalf of the Council of Standards Australia on 31 March 2000 and published on 28 April 2000.

The following interests are represented on Committee WS/10:

Australasian Plastics and Rubber Institute

Australian Association of Certification Bodies

Australian Chamber of Commerce and Industry

Australian Industry Group

Concrete Pipe Association of Australasia

Master Plumbers Association of Oueensland

New Zealand Contractors Federation

Plastics and Chemicals Industries Association

Rubber Manufacturers Association of Australasia

Water Services Association of Australia

### Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at <a href="https://www.standards.com.au">www.standards.com.au</a> and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, PO Box 1055, Strathfield, NSW 2135.

AS 1646.2—2000

## Australian Standard™

# Elastomeric seals for waterworks purposes

Part 2: Material requirements for pipe joint seals used in water and wastewater applications—Specified by prescriptive formulation

Originated as AS A139—1964. Previous edition AS 1646—1992. Revised and redesignated in part as AS 1646.2—2000.

### **COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd PO Box 1055, Strathfield, NSW 2135, Australia ISBN 0 7337 3355 7

#### **PREFACE**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee WS/10, Flexible Jointing Gaskets, to supersede, in part, AS 1646—1992, Elastomeric seals for waterworks purposes.

This Standard is the result of a consensus among Australia and New Zealand representatives on the Joint Committee to produce it as an Australian Standard.

The objective of this Standard is to set out requirements for a wide range of seals used in the water and wastewater industries including the material requirements for specific applications.

AS 1646 is a suite of Standards that covers elastomeric seals. To date the suite is comprised of the following:

٨	C
$\Box$	S.

110					
1646	Elastomeric seals for waterworks				
1646.1	Part 1:	General requirements			
1646.2	Part 2:	Material requirements for pipe joint seals used in water and wastewater applications—Specified by prescriptive formulation (this Standard)			
1646.3	Part 3:	Material requirements for pipe joint seals used in water and wastewater applications with the exception of natural rubber and polyisoprene compounds			

The previous edition of AS 1646 has been retained and amended, and incorporated into Parts 1 and 2, significantly, for its valuable information on natural rubber.

This Standard necessarily deals with existing conditions, but is not intended to discourage innovation or to exclude materials, equipment and methods which may be developed in future. Revisions will be made from time to time in view of such developments and amendments to this edition will be made only when absolutely necessary.

Where possible the suite of Standards (Parts 1 to 3) makes reference to ISO Standards, which have been taken into consideration at the time of preparation of this Standard.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral mandatory part of a Standard, whereas an 'informative' appendix is only for information and guidance.

### CONTENTS

		Page
FOREW	ORD	4
SECTIO	N 1 SCOPE AND GENERAL	
1.1	SCOPE	5
1.2	REFERENCED DOCUMENTS	5
1.3	DEFINITIONS	6
1.4	MARKING	6
SECTIO	N 2 MATERIALS AND COMPOSITION	
2.1	GENERAL	8
2.2	ELASTOMERS	8
2.3	ELASTOMERIC COMPOUNDS	8
2.4	COPPER AND MANGANESE	8
SECTIO	N 3 DETERMINATION OF PROPERTIES OF ELASTOMERIC COMPOUNDS	S
3.1	GENERAL	9
3.2	ELASTOMER HARDNESS	9
3.3	TENSILE STRENGTH AND PERCENTAGE ELONGATION AT BREAK	
3.4	COMPRESSION SET	9
3.5	LOW TEMPERATURE COMPRESSION SET	9
3.6	ACCELERATED AGEING	9
3.7	WATER IMMERSION	9
3.8	OIL RESISTANCE	
3.9	STRESS RELAXATION IN COMPRESSION	9
3.10	OZONE RESISTANCE	10
SECTIO	N 4 PROPERTIES OF SEALS	
4.1	CONSTRUCTION	11
4.2	SEAL HARDNESS	11
4.3	PURCHASING	11
APPENI	DICES	
A	MEANS FOR DEMONSTRATING COMPLIANCE WITH THIS STANDARD.	12
R	SEAL HARDNESS TEST	15



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation