Australian/New Zealand Standard®

Hose and hose assemblies for liquefied petroleum gases (LP Gas), natural gas and town gas

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee RU/1, Industrial Hose. It was approved on behalf of the Council of Standards Australia on 16 September 1996 and on behalf of the Council of Standards New Zealand on 19 August 1996. It was published on 5 December 1996.

The following interests are represented on Committee RU/1:

Australasian Railway Association
Australian Chamber of Commerce and Industry
Australian Institute of Petroleum
Department of Mineral Resources, N.S.W.
Gas Association of New Zealand
Industrial Research, New Zealand
Metal Trades Industry Association of Australia
Ministry of Commerce, New Zealand
Plastics and Chemicals Industry Association
Sydney Water Corporation
The Australian Gas Association

Review of Standards. To keep abreast of progress in industry, Joint Australian/ New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian/New Zealand Standard®

Hose and hose assemblies for liquefied petroleum gases (LP Gas), natural gas and town gas

PUBLISHED JOINTLY BY:

STANDARDS AUSTRALIA 1 The Crescent, Homebush NSW 2140 Australia

STANDARDS NEW ZEALAND Level 10, Standards House, 155 The Terrace, Wellington 6001 New Zealand

2

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee RU/1 on Industrial Hose to supersede AS 1869—1991, Hose and hose assemblies for liquefied petroleum gases (LPG), natural gas and town gas.

The objective of this Standard is to ensure performance, safety, durability and fitness for purpose of hose and hose assemblies in the gas industry.

The principal changes from the 1991 edition are as follows:

- (a) Table 1.2 includes values for dynamic bend radius.
- (b) Appendix E has been altered to provide for testing of hoses of different materials and construction.
- (c) Adhesion properties are also tested after the same hose is first subjected to the test for permeability in Appendix H.
- (d) The method for determining permeability of hose has been clarified.

A weathering resistance requirement was considered desirable, but in the absence of a suitable method of test, a requirement for weathering resistance has not been included.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

© Copyright - STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 percent of the technical content pages of a Standard may be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

3

CONTENTS

| | | Page |
|---------|--|------|
| SECTION | ON 1 SCOPE AND GENERAL | |
| 1.1 | SCOPE | . 4 |
| 1.2 | REFERENCED DOCUMENTS | |
| 1.3 | DEFINITIONS | |
| 1.4 | CLASSIFICATION | . 5 |
| 1.5 | ELECTRICAL CONTINUITY | . 5 |
| 1.6 | MATERIALS AND CONSTRUCTION | |
| 1.7 | COLOUR | |
| 1.8 | HOSE FOR DOMESTIC APPLIANCES | . 6 |
| 1.9 | MARKING | . 6 |
| SECTION | ON 2 PERFORMANCE REQUIREMENTS | |
| 2.1 | RESISTANCE TO GAS | 8 |
| 2.2 | RESISTANCE TO OIL | |
| 2.3 | HYDROSTATIC PRESSURE | |
| 2.4 | RESISTANCE TO OZONE | |
| 2.5 | RESISTANCE TO FLEXING AND MECHANICAL LOADS | |
| 2.6 | ELECTRICAL PROPERTIES | |
| 2.7 | RESISTANCE TO COLD BENDING | |
| 2.8 | RESISTANCE TO KINKING | |
| 2.9 | | |
| | PERMEABILITY | |
| | FLAME PROPAGATION CHARACTERISTICS OF HOSE | |
| | ADHESION | |
| | ACCELERATED AGEING | |
| | HOSE AND COUPLING COMPATIBILITY | |
| _,,, | | . 10 |
| | IDICES | |
| | PURCHASING GUIDELINES | . 11 |
| | GUIDE TO TESTING IN-SERVICE PERFORMANCE OF HOSE | |
| | ASSEMBLIES | |
| _ | METHOD FOR DETERMINING RESISTANCE OF LINING TO GAS | . 13 |
| | METHOD FOR DETERMINING RESISTANCE OF HOSE ASSEMBLY | |
| | TO GAS | . 14 |
| | METHOD FOR DETERMINING RESISTANCE TO FLEXING AND | |
| | MECHANICAL LOADS | |
| | METHOD FOR DETERMINING RESISTANCE OF HOSE TO KINKING | . 18 |
| | METHOD FOR DETERMINING RESISTANCE TO CRUSHING OF | |
| | HOSE CONTAINING GAS | |
| | METHOD FOR DETERMINING PERMEABILITY OF HOSE | . 23 |
| | METHOD FOR ASSESSING FLAME PROPAGATION CHARACTERISTICS | |
| (| OF A HORIZONTALLY ORIENTED SPECIMEN OF HOSE | 25 |

Originated in Australia as AS 1869—1976. Final Australian edition 1991. Jointly revised and designated AS/NZS 1869:1996.



| The is a new provider i arenade and chare publication at the limit below | This is a free preview. | Purchase the | entire publication | at the link below: |
|--|-------------------------|--------------|--------------------|--------------------|
|--|-------------------------|--------------|--------------------|--------------------|

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation