This is a free page sample. Access the full version online.

1254—1991 **Unplasticized PVC (UPVC) pipes and fittings for storm and surface water applications**
A4 22pp G

Specifies requirements for UPVC pipes and fittings used for underground disposal of storm and surface water.

Committee PL/34: ***Supersedes AS 1254—1973:*** *Draft for comment DR 90019:* ***Publication date 1991-04-15:*** *ISBN 0 7262 6817 8.*

AS 1254—1973
UDC 621.643: 678.743.22: 696.12/.13

Australian Standard 1254—1973

Amdt 1.

1991 ed.

UNPLASTICIZED PVC (UPVC) PIPES AND FITTINGS FOR STORM OR SURFACE WATER APPLICATIONS

METRIC UNITS

STANDARDS ASSOCIATION OF AUSTRALIA MELBOURNE LIBRARY

STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

c

This is a free page sample. Access the full version online.

THE FOLLOWING SCIENTIFIC, INDUSTRIAL AND GOVERNMENTAL ORGANIZATIONS and departments were officially represented on the committee entrusted with the preparation of this standard:

CSIRO Division of Building Research

Housing Commission of Victoria

Local Government Engineers Association of Victoria

Plastics Institute of Australia

University of Melbourne

This standard, prepared by Committee PL/34, PVC Rainwater Goods, was approved on behalf of the Council of the Standards Association of Australia on 14 November 1972.

To keep abreast of progress in industry, Australian standards are regularly reviewed. Suggestions for improvements to published standards, addressed to the headquarters of the Association, are welcomed.

This standard was issued in draft form for public review as DR 72052.

This is a free page sample. Access the full version online.

Amendment No 1
February 1977

STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

AMENDMENT NO 1
to
AS 1254-1973
UNPLASTICIZED PVC (UPVC) PIPES AND FITTINGS FOR STORM OR SURFACE WATER APPLICATIONS

SUMMARY: The following sections of the standard are covered by this amendment: Preface; Clauses 1, 5, 7, 10.4; Appendix A, B (B4.1, Table B1), D (D3, Fig. D3), E.

Page 2. Preface.

Delete 4th paragraph.
Add following sentence to 6th paragraph (to cover design considerations):

Attention is drawn to the need for proper design procedures in the selection of pipe sizes, including consideration of expected flow, silt or debris content.

AMDT NO 1 FEB 1977

Page 4. Clause 1.

Delete Note 2.

AMDT NO 1 FEB 1977

Page 5. Clause 5.

Alter 'shall' to 'should' in 1st sentence.

AMDT NO 1 FEB 1977

Page 5. Clause 7.

Delete the word 'stormwater'.
Add the words 'complying with this standard' after 'pipe'.

AMDT NO 1 FEB 1977

Page 6. Clause 10.4.

Alter 'prescribed strength' to 'prescribed strengths'.

AMDT NO 1 FEB 1977

This is a free page sample. Access the full version online.

Page 9. Appendix A. AMDT NO 1 FEB 1977

Delete this Appendix.

Page 11. Appendix B4.1. AMDT NO 1 FEB 1977

Delete 'and batch' from 1st sentence.

Page 13. Table B1. AMDT NO 1 FEB 1977

Alter, in 1st row, last column, '3.75' to '5.00'

Page 18. Appendix D3. AMDT NO 1 FEB 1977

Alter, in item (iv), '1.0 ± 2°C/min' to '1.0 ± 0.2°C/min'.

Page 20. Fig. D3. AMDT NO 1 FEB 1977

Alter thickness from '0.15 ± 0.05 mm' to '1.5 ± 0.05 mm'.

Page 21. Appendix E. AMDT NO 1 FEB 1977

Delete the word 'appropriate' in 2nd paragraph.
Alter the word 'solution' to 'solutions' in the 2nd paragraph.

Published on 1 March 1977.

This is a free page sample. Access the full version online.

AUSTRALIAN STANDARD SPECIFICATION

UNPLASTICIZED PVC (UPVC) PIPES AND FITTINGS FOR STORM OR SURFACE WATER APPLICATIONS

AS 1254—1973

First published 1973

PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA
STANDARDS HOUSE, 80 ARTHUR ST, NTH SYDNEY, N.S.W. (Copyright)

ISBN 0 7262 4825 8

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation