

AS 1718—1992

Australian Standard<sup>®</sup>

---

**Water supply—Copper alloy  
screw-down pattern taps—  
Specified by dimensions**

---

This Australian Standard was prepared by Committee WS/1, Water Fittings. It was approved on behalf of the Council of Standards Australia on 1 June 1992 and published on 14 September 1992.

---

The following interests are represented on Committee WS/1:

AUSTAP

Australian Valve Manufacturers Association

Board of Works, Melbourne

Brisbane City Council

Confederation of Australian Industry

Department of Local Government, Qld

Department of Public Works, N.S.W.

Engineering and Water Supply Department, S.A.

Federated Master Plumbers of Australia

Hobart City Council

Hunter Water Board, N.S.W.

Institute of Plumbing, Australia

Master Plumbers Association of South Australia

Metal Trades Industry Association of Australia

Water Authority of Western Australia

Water Board, Sydney–Illawarra–Blue Mountains

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 1718—1992

Australian Standard<sup>®</sup>

---

**Water supply—Copper alloy  
screw-down pattern taps—  
Specified by dimensions**

---

First published as AS B1—1928T.  
Revised and redesignated AS B35—1931.  
Second edition—1965.  
Third edition—1969.  
Revised and redesignated AS 1718—1975.  
Revised in part and issued as AS 1718—1988.  
Third edition—1992.

PUBLISHED BY STANDARDS AUSTRALIA  
(STANDARDS ASSOCIATION OF AUSTRALIA)  
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 7623 5

## PREFACE

This Standard was prepared by the Standards Australia Committee on Water Fittings, to supersede AS 1718—1988 and covers taps that are specified by dimension. Taps that are specified by performance are covered in AS 3718.

This Standard applies to copper alloy draw-off taps, stop taps, ferrule taps, and main taps for use in hot and cold water applications where the continuous working pressure does not exceed 1.4 MPa. This edition includes amendments and additions arising from industry requirements.

### © Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

## CONTENTS

	<i>Page</i>
<b>SECTION 1     SCOPE AND GENERAL</b>	
1.1    SCOPE .....	4
1.2    REFERENCED DOCUMENTS .....	4
1.3    DEFINITIONS .....	4
1.4    DESIGNATION OF NOMINAL SIZE .....	4
1.5    MARKING .....	4
<b>SECTION 2     MATERIALS</b>	
2.1    SCOPE OF SECTION .....	5
2.2    COPPER .....	5
2.3    COPPER ALLOY .....	5
2.4    DEZINCIFICATION-RESISTANT COPPER ALLOY .....	5
2.5    STAINLESS STEEL .....	5
2.6    OTHER MATERIALS .....	5
2.7    CORROSION-RESISTANT METALLIC MATERIALS .....	5
2.8    USE OF MATERIALS .....	5
2.9    CONTAMINATION OF WATER .....	5
<b>SECTION 3     DESIGN AND MANUFACTURE</b>	
3.1    SCOPE OF SECTION .....	7
3.2    END CONNECTORS .....	7
3.3    INTERCHANGEABILITY OF PARTS .....	7
3.4    SPINDLES .....	7
3.5    FERRULE STOP TAPS AND FOOTPATH STOP TAPS .....	7
3.6    SCREW THREADS .....	7
3.7    VALVE SEATING .....	8
3.8    JUMPER VALVES .....	8
3.9    THICKNESS OF METAL PARTS .....	8
3.10   FABRICATED FITTINGS .....	8
3.11   OUTLETS .....	9
3.12   HANDLES .....	9
3.13   COVERS .....	9
3.14   BACK NUTS .....	9
3.15   TAPSET BREACHING PIECE ASSEMBLIES .....	9
3.16   METAL AND OTHER SURFACE FINISHES .....	9
3.17   FINISH .....	9
3.18   DIMENSIONS .....	9
<b>SECTION 4     PERFORMANCE REQUIREMENTS</b>	
4.1    WATERTIGHTNESS .....	25
4.2    FLOW CAPABILITY .....	25
4.3    STRENGTH OF HANDLE ATTACHMENT .....	25
4.4    RESISTANCE OF HANDLE TO REMOVAL .....	25
4.5    STRENGTH OF FABRICATED JOINTS .....	25
4.6    STRENGTH OF BACK NUTS .....	25
<b>APPENDICES</b>	
A    LIST OF REFERENCED DOCUMENTS .....	26
B    METHOD FOR TORQUE TEST ON FABRICATED FITTINGS .....	28
C    METHOD FOR TORQUE TEST ON HANDLE AND HANDLE ATTACHMENT .....	29
D    METHODS FOR DETERMINATION OF WATERTIGHTNESS .....	30
E    METHODS FOR MEASURING DIMENSIONS OF TAPS .....	32
F    METHOD FOR DETERMINATION OF FLOW CAPABILITY OF TAPS ...	33
G    METHOD FOR TORQUE TEST ON BACK NUTS FOR BASIN PILLAR TAPS .....	35
H    GENERAL INFORMATION ON FACTORS WHICH AFFECT THE RESISTANCE OF COPPER ALLOYS TO DEZINCIFICATION .....	36

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-