

AS 2380.4—1994

Australian Standard[®]

**Electrical equipment for explosive
atmospheres—Explosion-protection
techniques**

**Part 4: Pressurized rooms or
pressurized enclosures**

This Australian Standard was prepared by Committee EL/14, Electrical Equipment in Hazardous Areas. It was approved on behalf of the Council of Standards Australia on 29 June 1994 and published on 19 September 1994.

The following interests are represented on Committee EL/14:

Auckland Regional Chamber of Commerce New Zealand
Australian Chamber of Commerce and Industry
Australian Coal Association
Australian Electrical and Electronics Manufacturers Association
Australian Gas Association
Australian Institute of Petroleum
Coal-mining interests
Confederation of Australian Industry
Department of Mineral Resources, N.S.W.
Department of Minerals and Energy, Qld
Electricity Supply Association of Australia
Institute of Instrumentation and Control Australia
Insurance Council of Australia
Metal Trades Industry Association of Australia
Ministry of Commerce New Zealand
National Electrical Contractors Association of Australia
Regulatory Authorities (Electrical)
WorkCover Authority of N.S.W.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 89196.

AS 2380.4—1994

Australian Standard[®]

**Electrical equipment for explosive
atmospheres—Explosion-protection
techniques**

**Part 4: Pressurized rooms or
pressurized enclosures**

First published in part as AS C377—1969.
AS 1021 first published 1971.
AS C377—1969 revised and redesignated
AS 1825—1976.
Second edition AS 1021—1980.
Second edition AS 1825—1982.
AS 1021—1980 and AS 1825—1982 revised,
amalgamated and redesignated AS 2380.4—1994.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 9149 8

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee on Electrical Equipment in Hazardous Areas, to supersede AS 1021—1980, *Protection by purging of electrical equipment for explosive atmospheres* and AS 1825—1982, *Electrical equipment for explosive atmospheres—Pressurized enclosures—Type of protection p*. Under the terms of the Active Cooperation Agreement, this Standard is the result of a consensus among Australian and New Zealand representatives on the Joint Committee to produce this document as an Australian Standard.

The scope of the Standard has also been expanded to include pressurized rooms, and pressurized rooms and enclosures for use in Class II (dust) areas.

This Standard is intended for the guidance of manufacturers, designers, installers, users, statutory authorities and associated interests. It is part of a series of Standards dealing with the explosion-protection of electrical equipment intended for use in potentially explosive atmospheres.

In its terminology, definitions and general treatment of the subject, this Standard is similar to IEC 79, *Electrical apparatus for explosive gas atmospheres*, Part 2: *Electrical apparatus—Type of protection ‘p’* and Part 13: *Construction and use of rooms or buildings protected by pressurization*.

Acknowledgment is made of the assistance received from these sources.

Some of the more significant changes to AS 1021 and AS 1825 included in this Standard are:

- (a) The inclusion of requirements for pressurized rooms and enclosures suitable for use in Class II combustible dust areas.
- (b) Definitions and terminology have been revised to align with other Australian and IEC Standards.
- (c) Reference to IEC 79-16 for analyser houses has been included.
- (d) Requirements for shutdown of electrical supply have been clarified.
- (e) The inclusion of a clause detailing the pressurization principle.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	5
1.2 REFERENCED DOCUMENTS	5
1.3 DEFINITIONS	6
1.4 TEMPERATURE LIMITS	7
1.5 GROUPING OF EQUIPMENT	7
1.6 PRESSURIZATION PRINCIPLE	7
SECTION 2 GENERAL CONSTRUCTIONAL REQUIREMENTS	
2.1 SCOPE OF SECTION	9
2.2 ELECTRICAL PERFORMANCE OF EQUIPMENT	9
2.3 CONSTRUCTION MATERIALS	9
2.4 PROTECTION AGAINST ENVIRONMENT	9
2.5 PRESSURIZATION	9
2.6 INLET AND OUTLET APERTURES	9
2.7 ALTERNATIVE SOURCES OF PROTECTIVE GAS	9
2.8 INTAKE DUCTING	10
2.9 ELECTRICAL CONNECTIONS TO ENCLOSURES	10
2.10 ENTRY OF ELECTRICAL AND OTHER SERVICES TO ROOMS	10
2.11 DOORS AND COVERS	10
2.12 POSSIBLE SOURCES OF IGNITION	10
2.13 ENCLOSED COMPONENTS	10
2.14 PRESSURE OR FLOW ACTIVATED DEVICES	10
2.15 SUPPLY OF PROTECTIVE GAS	11
2.16 ROTATING MACHINES	11
2.17 PROTECTION REQUIREMENTS	11
2.18 INSPECTION DOORS	12
SECTION 3 ENCLOSURES HAVING NO INTERNAL SOURCE OF FLAMMABLE MATERIAL	
3.1 GENERAL	13
3.2 LEVEL OF OVERPRESSURE	13
3.3 PROTECTION REQUIREMENT	13
SECTION 4 ROOMS HAVING NO INTERNAL SOURCE OF FLAMMABLE MATERIAL	
4.1 GENERAL	14
4.2 LEVEL OF OVERPRESSURE	14
4.3 PROTECTIVE GAS FLOW	14
4.4 PROTECTION REQUIREMENT	14
SECTION 5 ENCLOSURES HAVING AN INTERNAL SOURCE OF FLAMMABLE GAS OR VAPOUR	
5.1 GENERAL	16
5.2 DESCRIPTION OF TECHNIQUES	16
5.3 LEVEL OF OVERPRESSURE	16
5.4 OUTLET APERTURES	16

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-