This is a free page sample. Access the full version online.

AS 61204.1—2003
IEC 61204:1993
IEC 61204:1993/Amd 1:2001

Australian Standard™

Low-voltage power supply devices, d.c. output

Part 1: Performance characteristics

Standards Australia

This is a free page sample. Access the full version online.

This Australian Standard was prepared by Committee EL-027, Power Electronics. It was approved on behalf of the Council of Standards Australia on 5 September 2003 and published on 29 October 2003.

The following are represented on Committee EL-027:

Australian Communications Authority
Australian Electrical and Electronic Manufacturers Association
Bureau of Steel Manufacturers of Australia
Electricity Supply Association of Australia
Monash University
University of Wollongong

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 03085.

This is a free page sample. Access the full version online.

Australian Standard™

Low-voltage power supply devices, d.c. output

Part 1: Performance characteristics

First published as AS 61204.1—2003.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5514 3

This is a free page sample. Access the full version online.

PREFACE

This Standard was prepared by the Standards Australia Committee EL-027, Power Electronics.

The objective of this Standard is to provide users and manufacturers with an agreed method of specifying the performance characteristics of low voltage power supply devices with d.c. outputs.

This Standard is technically equivalent to, and has been reproduced from, IEC 61204:1993, *Low-voltage power supply devices, d.c output—Performance characteristics,* including Amendment 1:2001.

During the committee's consideration of this Standard, errors were identified in the following locations—

(a) Clause 1.1; and

(b) Table 1, rows 3.10, 3.13, 3.14 and 3.17.

Following consultation with the IEC, these errors have been corrected, with the error marked by strikeout (~~example~~) and the correct data marked by shading (example).

Additionally, editorial changes have been made in Clause 1.1 to clarify the scope and purpose of this Standard.

The terms 'normative' and 'informative' are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

As this Standard is reproduced from an International Standard, the following applies:

(i) Its number does not appear on each page of text and its identity is shown only on the cover and title page.

(ii) In the source text 'this international standard' should read 'this Australian Standard'.

(iii) A full point should be substituted for a comma when referring to a decimal marker.

This is a free page sample. Access the full version online.

CONTENTS

Page

1 General 1
1.1 Scope and object 1
1.2 Normative references 1
1.3 Definitions 3
2 Presentation of performance characteristics 3
3 Performance 3
3.1 Rated outputs and total output power 3
3.2 Ambient operating temperature range 5
3.3 Ambient storage and transit temperature range 6
3.4 Source voltage and frequency 6
3.5 Source current 7
3.6 Source effect (source regulation) 7
3.7 Load effect (load regulation) 7
3.8 Output voltage tolerance (intrinsic error) – fixed outputs 8
3.9 Adjustability of output voltage 8
3.10 Periodic and random deviation 8
3.11 Interaction effects (cross regulation) 9
3.12 Temperature coefficient 9
3.13 Hold-up time (turn-off decay time) 9
3.14 Start-up time (turn-on delay time) 10
3.15 Turn-on (turn-off) overshoot 10
3.16 Transient response to load current changes 10
3.17 Output overvoltage protection 11
3.18 Output overcurrent protection 12
3.19 Mean time between failures (MTBF) 12
4 Requirements for protective devices 12
4.1 Thermal protection 12
4.2 Input overcurrent protection 12
5 Acoustic noise requirements 13
6 Additional requirements 13
6.1 Remote programming (remote control) 13
6.2 Remote sensing 13
6.3 Mechanical characteristics 13
6.4 Series operation 13
6.5 Parallel operation 14
6.6 Monitoring and control signals 14
7 Test requirements 14
7.1 General 14
7.2 Environmental tests 14
8 Miscellaneous requirements 15
8.1 Markings and instructions 15

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation