

Irish Standard I.S. EN ISO 5267-1:2000&AC:2002

Pulps - Determination of drainability - Part 1: Schopper-Riegler method (ISO 5267-1:1999)

© CEN 2022 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN ISO 5267-1:2000&AC:2002

Incorporating amendments/corrigenda/National Annexes issued since publication:

EN ISO 5267-1:2000/AC:2002

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN ISO 5267-1:2000

2010-03-08

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

Northwood, Santry

85.040

2022-05-31

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 1 Swift Square,

Sales: F+353 1 807 3838 T+353 1 857 6730 F+353 1 857 6729 E standards@nsai.ie

Dublin 9 W NSAl.ie

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### **National Foreword**

I.S. EN ISO 5267-1:2000&AC:2002 is the adopted Irish version of the European Document EN ISO 5267-1:2000, Pulps - Determination of drainability - Part 1: Schopper-Riegler method (ISO 5267-1:1999)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN ISO 5267-1:2000/AC

July 2002 Juillet 2002 Juli 2002

ICS 85.040

English version Version Française Deutsche Fassung

Pulps - Determination of drainability - Part 1: Schopper-Riegler method (ISO 5267-1:1999/Cor.1:2001)

Pâtes - Détermination de l'égouttabilité - Partie 1: Schopper-Riegler (ISO 5267-1:1999/Cor.1:2001) Faserstoffe - Prüfung des Entwässerungsverhaltens - Teil 1: Schopper-Riegler-Verfahren (ISO 5267-1:1999/Cor.1:2001)

This corrigendum becomes effective on 24 July 2002 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 24 juillet 2002 pour incorporation dans les trois versions linguistiques officielles de l'EN.

Die Berichtigung tritt am 24. Juli 2002 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 5267-1:2000/AC:2002 (E/F/D)

#### **English version**

#### **Endorsement notice**

The text of ISO 5267-1:1999/Cor.1:2001 has been approved by CEN as a European Corrigendum without any modifications.

#### Version française

#### Notice d'entérinement

Le texte de l'ISO 5267-1:1999/Cor.1:2001 a été approuvé par le CEN comme Corrigendum européen sans aucune modification.

#### **Deutsche Fassung**

#### Anerkennungsnotiz

Der Text von ISO 5267-1:1999/Cor.1:2001 wurde vom CEN als Europäisches Corrigendum ohne irgendeine Abänderung genehmigt.



#### INTERNATIONAL STANDARD ISO 5267-1:1999 TECHNICAL CORRIGENDUM 1

Published 2001-03-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • MEЖДУНАРОДНАЯ OPFAHU3ALUN ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

# Pulps — Determination of drainability — Part 1: Schopper-Riegler method

**TECHNICAL CORRIGENDUM 1** 

Pâtes — Détermination de l'égouttabilité —
Partie 1: Méthode Schopper-Riegler
RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to International Standard ISO 5267-1:1999 was prepared by Technical Committee ISO/TC 6, *Paper, board and pulps*, Subcommittee SC 5, *Test methods and quality specifications for pulp*.

Page 4, A.2

Replace the last sentence with the following text.

The sealing cone shall be raised at a constant rate of 100 mm/s  $\pm$  10 mm/s.

**EUROPEAN STANDARD** 

**EN ISO 5267-1** 

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

July 2000

ICS 85.040

#### English version

## Pulps - Determination of drainability - Part 1: Schopper-Riegler method (ISO 5267-1:1999)

Pâtes - Détermination de l'égouttabilité - Partie 1: Schopper-Riegler (ISO 5267-1:1999) Faserstoffe - Prüfung des Entwässerungsverhaltens - Teil 1: Schopper-Riegler-Verfahren (ISO 5267-1:1999)

This European Standard was approved by CEN on 12 June 2000.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Page 2 EN ISO 5267-1:2000

#### **Foreword**

The text of the International Standard from Technical Committee ISO/TC 6 "Paper, board and pulps" of the International Organization for Standardization (ISO) has been taken over as an European Standard by Technical Committee CEN/TC 172 "Pulp, paper and board", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2001, and conflicting national standards shall be withdrawn at the latest by January 2001.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

#### **Endorsement notice**

The text of the International Standard ISO 5267-1:1999 has been approved by CEN as a European Standard without any modification.

NOTE: Normative references to International Standards are listed in annex ZA (normative).

Page 3 EN ISO 5267-1:2000

**Annex ZA** (normative)

Normative references to international publications with their relevant European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

PublicationYearTitleENYearISO 41191995Pulps - Determination of stock concentration EN ISO 41191996

This is a free page sample. Access the full version online.

This page is intentionally left blank

## INTERNATIONAL STANDARD

ISO 5267-1

> Second edition 1999-03-01

#### Pulps — Determination of drainability —

Part 1:

Schopper-Riegler method

Pâtes — Détermination de l'égouttabilité —

Partie 1: Méthode Schopper-Riegler



ISO 5267-1:1999(E)

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 5267-1 was prepared by Technical Committee ISO/TC 6, *Paper, board and pulps*, Subcommittee SC 5, *Test methods and quality specifications for pulp.* 

This second edition cancels and replaces the first edition (ISO 5267-1: 1979), of which it constitutes a minor revision. The main amendment is the addition of ISO 14487 to clause 6 (formerly clause 7) to specify the water used in the test.

ISO 5267 consists of the following parts, under the general title Pulps — Determination of drainability:

- Part 1: Schopper-Riegler method
- Part 2: "Canadian Standard" freeness method

Annexes A and B form an integral part of this part of ISO 5267.

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case postale 56 • CH-1211 Genève 20 • Switzerland Internet iso@iso.ch

Printed in Switzerland

## Pulps — Determination of drainability — Part 1: Schopper-Riegler method

#### 1 Scope

This part of ISO 5267 specifies a method for the determination of the drainability of a pulp suspension in water in terms of the Schopper-Riegler (SR) number.

The Schopper-Riegler test is designed to provide a measure of the rate at which a dilute suspension of pulp may be dewatered. It has been shown that the drainability is related to the surface conditions and swelling of the fibres, and constitutes a useful index of the amount of mechanical treatment to which the pulp has been subjected.

In principle, this method is applicable to all kinds of pulp in aqueous suspension. However, in practice, the Schopper-Riegler test provides acceptable results only if a sufficiently dense mat of fibres is formed on the wire screen. For this reason, the test is not recommended for some extremely short-fibred pulps, such as those from well-beaten hardwoods, as most of the fibres will pass through the wire screen, resulting in anomalous reduction of the SR number. The most reliable results are obtained within the range of 10 to 90 SR number.

The results of this test do not necessarily correlate with the drainage behaviour of a pulp material on a commercial paper machine.

NOTE A method for the determination of drainability in terms of the "Canadian Standard" freeness number is specified in ISO 5267-2:1980, *Pulps — Determination of drainability — Part 2: "Canadian Standard" freeness method.* 

#### 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 5267. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 5267 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 4119:1995, Pulps — Determination of stock concentration.

ISO 14487:1997, Pulps — Standard water for physical testing.

#### 3 Definition

For the purposes of this part of ISO 5267, the following definition applies.

#### 3.1

#### Schopper-Riegler number scale

scale on which a discharge of 1 000 ml corresponds to a SR number of zero and zero discharge to a SR number of 100

#### 3.2

#### stock

aqueous suspension of disintegrated pulp



The ic a nee previous i arenace are chare pasheaten at the limit selection	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation