This is a free page sample. Access the full version online.

NSAI Standards

Irish Standard
I.S. EN 15859:2010

Air Quality - Certification of automated dust arrestment plant monitors for use on stationary sources - Performance criteria and test procedures

© NSAI 2010 No copying without NSAI permission except as permitted by copyright law.

This is a free page sample. Access the full version online.

I.S. EN 15859:2010

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	*This document is based on:* EN 15859:2010	*Published:* 21 April, 2010

This document was published under the authority of the NSAI and comes into effect on: 13 May, 2010	ICS number: 13.040.01

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W **NSAI.ie**

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

I.S. EN 15859:2010

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 15859

April 2010

ICS 13.040.01

English Version

Air Quality - Certification of automated dust arrestment plant monitors for use on stationary sources - Performance criteria and test procedures

Qualité de l'air - Certification des analyseurs automatiques pour la surveillance des systèmes de réduction des poussières à l'émission des sources fixes - Spécifications de performance et modes opératoires d'essai

Luftbeschaffenheit - Zertifizierung von automatischen Geräten zur Überwachung von Staubabscheidern an stationären Quellen - Mindestanforderungen und Prüfprozeduren

This European Standard was approved by CEN on 11 March 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2010 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 15859:2010: E

This is a free page sample. Access the full version online.

Contents

Page

Foreword 4

0 Introduction 5

1 Scope 7

2 Normative references 7

3 Terms and definitions 7

4 Symbols and abbreviations 12
4.1 Symbols 12
4.2 Abbreviations 13

5 General requirements 14
5.1 Application of performance criteria 14
5.2 Ranges to be tested 14
5.2.1 General 14
5.2.2 Certification range for filter dust monitor 14
5.2.3 Supplementary ranges for filter dust monitors 14
5.2.4 Type of arrestment plant for filter leakage monitors 14
5.2.5 Expression of performance criteria with respect to ranges 15
5.2.6 Ranges of optical in-situ instrument with variable optical length (cross-stack) 15
5.3 Manufacturing consistency and changes to instrument design 15
5.4 Qualifications of test laboratories 15

6 Performance characteristics for laboratory testing 15
6.1 Instrument for testing 15
6.2 CE labelling 15
6.3 Security 16
6.4 Output ranges and zero-point 16
6.5 Additional outputs on filter leakage monitors 16
6.6 Display of operational status signals 16
6.7 Degrees of protection provided by enclosures 16
6.8 Response time 16
6.9 Detection time 16
6.10 Repeatability standard deviation at automatic internal zero point 16
6.11 Repeatability standard deviation at automatic internal reference point 17
6.12 Automatic internal zero and reference point checks 17
6.13 Influence of ambient temperature 17
6.14 Influence of sample gas flow for extractive instrument 17
6.15 Influence of voltage variations 17
6.16 Influence of vibration 17
6.17 Cross-sensitivity 17
6.18 Excursion of measurement beam of cross-stack in situ instruments 18
6.19 Detection limit 18

7 Performance characteristics for field testing 18
7.1 Calibration function for filter dust monitors 18
7.2 Functional test of filter leakage monitor 18
7.2.1 General 18
7.2.2 Plant failure detection test 18
7.2.3 Simulated filter failure test 19
7.3 Maintenance interval 19
7.4 Drift of automatic internal zero point and automatic internal reference point 19
7.5 Availability 19

This is a free page sample. Access the full version online.

7.6 Reproducibility 19

8 Performance criteria 19

9 General test requirements 21

10 Test procedures for laboratory tests 22
10.1 Instrument for testing 22
10.2 CE labelling 22
10.3 Security 22
10.4 Output ranges and zero point 23
10.5 Additional outputs on filter leakage monitors 23
10.6 Display of operational status signals 23
10.7 Degrees of protection provided by enclosures 23
10.8 Response time 23
10.9 Detection time 25
10.10 Repeatability standard deviation at automatic internal zero and reference points 25
10.11 Influence of ambient temperature 25
10.12 Influence of sample gas flow for extractive instruments 26
10.13 Influence of voltage variations 27
10.14 Influence of vibration 28
10.15 Cross-sensitivity 29
10.16 Excursion of measurement beam of cross-stack in situ instruments 29
10.17 Detection limit 29

11 Requirements for field tests 30
11.1 Provisions 30
11.2 Field test duration 30

12 Test procedures for field tests 30
12.1 Calibration function for filter dust monitor 30
12.2 Functional test of filter leakage monitor 31
12.2.1 Plant failure detection test 31
12.2.2 Simulated filter failure test 31
12.3 Maintenance interval 31
12.4 Drift of automatic internal zero point and automatic internal reference point 32
12.5 Availability 32
12.6 Reproducibility 33

13 Test report 35

Annex A (informative) **Elements of recommended performance testing report** 36

Bibliography 38

This is a free page sample. Access the full version online.

Foreword

This document (EN 15859:2010) has been prepared by Technical Committee CEN/TC 264 “Air quality”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2010, and conflicting national standards shall be withdrawn at the latest by October 2010

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

This is a free page sample. Access the full version online.

0 Introduction

0.1 General

CEN has established standards for the certification of automated measuring systems (AMS) used for monitoring emissions from stationary sources. This certification is based on the following four sequential stages:

a) performance testing of an AMS;

b) initial assessment of the AMS manufacturer's quality management system;

c) certification;

d) post certification surveillance.

This European Standard defines the performance criteria and procedures for performance testing of automated dust arrestment plant monitors used on stationary sources.

The following two types of dust arrestment plant monitor are covered by this standard:

— a *filter dust monitor* which can be calibrated in mass concentration units (e.g. mg/m^3) and used for dust arrestment control purposes;

— a *filter leakage monitor* which indicates a change in the emissions level or a change in the magnitude of the dust pulses created by the cleaning process.

For the purposes of this standard, the term *instrument* is used to encompass both types of dust arrestment plant monitor. The terms *filter dust monitor* and *filter leakage monitor* are only used where it is necessary to distinguish between the two types.

0.2 Processes

Field-testing of an instrument is ordinarily carried out on the most highly demanding industrial process in the range of applications for which a manufacturer seeks certification. The premise is that if the instrument performs acceptably on this process, then experience has shown that the instrument generally performs well on the majority of other processes. However, there are always exceptions and it is the responsibility of the manufacturer in conjunction with the user to ensure that the instrument performs adequately on a specific process.

0.3 Performance characteristics

A combination of laboratory and field testing is detailed within this European Standard. Laboratory testing is designed to assess whether an instrument can meet, under controlled conditions, the technical requirements of the relevant performance criteria. Field testing, over a minimum three month period, is designed to assess whether an instrument can continue to work and meet the relevant performance criteria in a real application. Field testing is carried out on an industrial process representative of the intended application for the instrument for which the manufacturer seeks certification.

The main instrument performance characteristics are:

— response or detection time;

— influence of ambient conditions;

This is a free page sample. Access the full version online.

— influence of variations of the waste gas velocity;

— susceptibility to physical disturbances;

— cross-sensitivity to likely interferents contained in the waste gas;

— performance and accuracy of the filter dust monitor against a standard reference method (SRM), under field conditions;

— performance and accuracy of the filter leakage monitor against a certified particulate AMS tested according to EN 15267-3, under field conditions;

— drift of automatic internal zero and reference points;

— availability and maintenance interval under field conditions;

— reproducibility from two instruments under identical field conditions.

Measurements made by instruments certified to the requirements of this standard do not necessarily fulfil the uncertainty requirements of the EU Directives for Large Combustion Plant and Waste Incineration or the QAL3 functionality of EN 14181:2004.

This is a free page sample. Access the full version online.

1 Scope

This European Standard provides the performance criteria and test procedures for filter dust monitors and filter leakage monitors used to ensure that dust arrestment plants used on stationary sources are working satisfactorily.

A filter dust monitor is a dust arrestment plant monitor which can be calibrated in mass concentration units (e.g. mg/m^3) and used for dust arrestment control purposes.

A filter leakage monitor is a dust arrestment plant monitor which indicates a possible problem with the dust arrestment plant by monitoring a change in the emissions level or a change in the magnitude of the dust pulses created by the cleaning process.

This standard is intended for use with the certification procedure for automated measuring systems described in EN 15267-1 and EN 15267-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13284-2, *Stationary source emissions — Determination of low range mass concentration of dust – Part 2: Automated measuring systems*

EN 14181:2004, *Stationary source emissions — Quality assurance of automated measuring systems*

EN 15259, *Air quality – Measurement of stationary source emissions — Requirements for measurement sections and sites and for the measurement objective, plan and report*

EN 15267-3, *Air quality – Certification of automated measuring systems — Part 3: Performance criteria and test procedures for automated measuring systems for monitoring emissions from stationary sources*

EN 50160, *Voltage characteristics of electricity supplied by public distribution networks*

EN 60529, *Degrees of protection provided by enclosures (IP code) (IEC 60529:1989)*

EN ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories (ISO/IEC 17025:2005)*

IEC 60068-1, *Environmental testing — Part 1: General and guidance*

IEC 60068-2 (all tests), *Environmental testing — Part 2: Tests*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
dust
particles, of any shape, structure or density, dispersed in the gas phase at the sampling point conditions which may be collected by filtration under specified conditions after representative sampling of the gas to be analysed

NOTE Adapted from EN 13284-1:2001, 3.1.

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation