



NSAI
Standards

Irish Standard Recommendation
S.R. CEN/TS 1948-5:2015

Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 5: Long-term sampling of PCDDs/PCDFs and PCBs

S.R. CEN/TS 1948-5:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN/TS 1948-5:2015

Published:

2015-04-01

*This document was published
under the authority of the NSAI
and comes into effect on:*

2015-04-18

ICS number:

13.040.40

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

TECHNICAL SPECIFICATION

CEN/TS 1948-5

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

April 2015

ICS 13.040.40

English Version

**Stationary source emissions - Determination of the mass
concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 5:
Long-term sampling of PCDDs/PCDFs and PCBs**

Emissions de sources fixes - Détermination de la
concentration massique en PCDD/PCDF et PCB de type
dioxine - Partie 5: Prélèvement à long-terme de
PCDD/PCDF et PCB

Emissionen aus stationären Quellen - Bestimmung der
Massenkonzentration von PCDD/PCDF und dioxin-
ähnlichen PCB - Teil 5: Langzeitprobenahme von
PCDD/PCDF und PCB

This Technical Specification (CEN/TS) was approved by CEN on 29 December 2014 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

CEN/TS 1948-5:2015 (E)

Contents	Page
Foreword.....	6
Introduction	7
1 Scope	9
2 Normative references	9
3 Terms and definitions	10
4 Symbols and abbreviations	13
4.1 General.....	13
4.2 Polychlorinated biphenyls, polychlorinated dibenzodioxins and polychlorinated dibenzofuranes	13
5 Principle of long-term PCDD/PCDF/PCB sampling	14
5.1 General.....	14
5.2 Long-term sampling based on the filter/condenser method.....	14
5.3 Long-term sampling based on the dilution method.....	15
5.4 Long-term sampling based on the cooled probe method	15
6 Sampling device and materials	15
6.1 General sampling device	15
6.2 Components for the sampling train	15
6.3 Automatic controller.....	16
6.4 Devices for measuring the flue gas parameters.....	16
6.5 Materials	16
7 Minimum requirements for long-term PCDD/PCDF/PCB sampling methods	17
7.1 Certification of the sampling system.....	17
7.2 Validation of the installation/functioning on each plant to be fulfilled by the plant operator	19
7.2.1 Long-term PCDD/PCDF/PCB sampling systems using sampling units which have to be prepared in the laboratory	19
7.2.2 Minimum requirements for set-up.....	19
7.2.3 Minimum requirements for selecting the sampling point	19
7.2.4 Minimum requirements for sampling.....	20
7.3 Minimum requirements for on-going operations on each plant to be fulfilled at regular time intervals by the plant operator	24
7.3.1 Regular check-up.....	24
7.3.2 Maintenance	24
8 Quality assurance	26
8.1 General.....	26
8.2 Quality assurance for the sampling unit	26
8.2.1 Leak check.....	26
8.2.2 Field blank	26
8.3 Quality assurance for sampling volume	26
8.3.1 Initial quality assurance	26
8.3.2 Ongoing quality assurance on site	26
8.4 Quality assurance of isokinetic sampling.....	27
8.5 Quality assurance of flue gas conditions (O ₂ content, temperature, pressure, humidity)	27
9 Analytical procedure	27
9.1 General.....	27
9.2 Extraction of the sample	28
9.3 Partitioning of the sample extract.....	28

9.4	Clean-up	31
9.5	Identification and quantification	31
9.6	Calculation of the recovery rates of the extraction standards	31
9.7	Calculation of results	31
10	Estimation of uncertainty of the method	32
10.1	General	32
10.2	Elements required for the uncertainty determinations	32
10.2.1	Model formula and parameters	32
10.2.2	Expanded uncertainty	34
11	Reporting	34
11.1	Sampling and analytical report	34
11.2	Record keeping every half hour	36
11.3	Interruptions recording	37
11.4	Reporting of the method validation (from manufacturer and test house)	37
	Annex A (normative) Overview of minimum requirements	39
	Annex B (informative) Cleaning of the probe	41
	Annex C (normative) Performance criteria and test procedure for certification	42
C.1	General relation to other standards	42
C.2	General requirements	42
C.2.1	Application of the minimum requirements	42
C.2.2	Certification ranges	42
C.3	Performance criteria common to all long-term PCDD/PCDF/PCB sampling systems for laboratory testing	42
C.3.1	Performance criteria for the automatic isokinetic control	42
C.3.2	Requirements of EN 15267-3	42
C.4	Performance criteria common to all long-term PCDD/PCDF/PCB sampling systems for field testing	43
C.4.1	For the automatic isokinetic control	43
C.4.2	Event of long-term sampling	43
C.4.3	Status information	43
C.4.4	Availability	43
C.4.5	Reproducibility	43
C.4.6	Automatic post-adjustment unit	43
C.4.7	Loss of PCDD/PCDF/PCB to be determined in the sampling line	44
C.4.8	Number of values to be determined	44
C.4.9	Labelling	44
C.4.10	Storage life	44
C.4.11	Blank value	44
C.4.12	Relation to the plant conditions	44
C.4.13	Isokinetic sampling	44
C.4.14	Essential characteristic data	44
	Annex D (informative) Examples of devices and operation for long-term sampling systems	45

CEN/TS 1948-5:2015 (E)

D.1	Filter/condenser method	45
D.1.1	Summary of apparatus design	45
D.1.1.1	General.....	45
D.1.1.2	Sampling unit	46
D.1.1.3	Control unit.....	46
D.1.2	Spiking position	46
D.1.3	Assembly procedure	46
D.1.4	Leak check procedure	46
D.1.5	Sampling	46
D.1.6	Sample gas flow control	46
D.1.7	Long-term sample automated features	47
D.2	Dilution method.....	47
D.2.1	Summary of apparatus design	47
D.2.1.1	General.....	47
D.2.1.2	Extraction unit.....	48
D.2.1.3	Sucking and measurement unit	48
D.2.2	Spiking position	49
D.2.3	Assembly procedure	49
D.2.4	Leak test procedure.....	49
D.2.5	Sampling	49
D.2.6	Long-term sample automated features	50
D.3	Cooled probe method.....	50
D.3.1	Summary of apparatus design	50
D.3.1.1	For patent rights see Introduction	50
D.3.1.2	Sampling probe.....	51
D.3.1.3	Sampling unit	51
D.3.1.4	Control cabinet.....	52
D.3.2	Spiking position	52
D.3.3	Handling procedure	52
D.3.4	Leak test procedure.....	52
D.3.5	Sampling	52
D.3.6	Isokinetic flow control.....	53
D.3.7	Automatic features of long-term sampling system.....	53
	Annex E (informative) Fundamentals of isokinetic sampling	54
E.1	Isokinetic sampling.....	54
E.1.1	General.....	54
E.1.2	Influence on the isokinetic sampling over several days and weeks	55
E.1.3	Parameters to be checked	57

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-