This is a free page sample. Access the full version online.

NSAI Standards

Irish Standard
I.S. EN ISO 11930:2012

Cosmetics - Microbiology - Evaluation of the antimicrobial protection of a cosmetic product (ISO 11930:2012)

© NSAI 2012 No copying without NSAI permission except as permitted by copyright law.

This is a free page sample. Access the full version online.

I.S. EN ISO 11930:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
EN ISO 11930:2012

Published:
12 April, 2012

This document was published under the authority of the NSAI and comes into effect on:
12 April, 2012

ICS number:
07.100.99
71.100.70

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie

W **NSAI.ie**

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 11930

April 2012

ICS 07.100.99; 71.100.70

English Version

Cosmetics - Microbiology - Evaluation of the antimicrobial protection of a cosmetic product (ISO 11930:2012)

Cosmétiques - Microbiologie - Évaluation de la protection antimicrobienne d'un produit cosmétique (ISO 11930:2012)

Kosmetische Mittel - Mikrobiologie - Bewertung des mikrobiellen Schutzes eines kosmetischen Produktes (ISO 11930:2012)

This European Standard was approved by CEN on 31 March 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2012 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

This is a free page sample. Access the full version online.

Contents

Page

Foreword.....3

This is a free page sample. Access the full version online.

Foreword

This document (EN ISO 11930:2012) has been prepared by Technical Committee ISO/TC 217 "Cosmetics" in collaboration with Technical Committee CEN/TC 392 “Cosmetics” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2012, and conflicting national standards shall be withdrawn at the latest by October 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11930:2012 has been approved by CEN as a EN ISO 11930:2012 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

I.S. EN ISO 11930:2012

INTERNATIONAL STANDARD

ISO 11930

First edition
2012-04-01

Cosmetics — Microbiology — Evaluation of the antimicrobial protection of a cosmetic product

Cosmétiques — Microbiologie — Évaluation de la protection antimicrobienne d'un produit cosmétique

Reference number
ISO 11930:2012(E)

© ISO 2012

This is a free page sample. Access the full version online.

COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

© ISO 2012 – All rights reserved

This is a free page sample. Access the full version online.

Contents

Page

Foreword ... iv

Introduction ... v

1 Scope ... 1
1.1 General ... 1
1.2 Preservation efficacy test ... 1
1.3 Procedure for evaluating the antimicrobial protection of the cosmetic product ... 1

2 Normative references ... 1

3 Terms and definitions ... 2

4 Principle ... 2

5 Preservation efficacy test ... 3
5.1 General ... 3
5.2 Materials, apparatus, reagents and culture media ... 3
5.3 Microbial strains ... 6
5.4 Preparation and enumeration of inocula ... 7
5.5 Demonstration of the neutralizer efficacy ... 8
5.6 Determination of the preservation efficacy of the formulation ... 10
5.7 Interpretation of test results and conclusions ... 12
5.8 Test report ... 13

6 Overall evaluation of the antimicrobial protection of the cosmetic product ... 14
6.1 General ... 14
6.2 Case 1 — The preservation efficacy test has been performed on the formulation ... 14
6.3 Case 2 — The preservation efficacy test has not been performed on the formulation ... 14

Annex A (normative) **Decision diagram** ... 16

Annex B (normative) **Evaluation criteria for the preservation efficacy test (see 5.7)** ... 17

Annex C (informative) **Examples of neutralizers for the antimicrobial activity of preservatives and washing liquids** ... 18

Annex D (informative) **Packaging characteristics** ... 19

Bibliography ... 20

© ISO 2012 – All rights reserved

This is a free page sample. Access the full version online.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11930 was prepared by Technical Committee ISO/TC 217, *Cosmetics*.

© ISO 2012 – All rights reserved

This is a free page sample. Access the full version online.

Introduction

This International Standard is to be used in the overall evaluation of the antimicrobial protection of a cosmetic product.

The antimicrobial protection of a product can come from many sources:

— chemical preservation;

— inherent characteristics of the formulation;

— package design;

— manufacturing process.

This International Standard defines a series of steps to be taken when assessing the overall antimicrobial protection of a cosmetic product. A reference method for a preservation efficacy test (challenge test) along with evaluation criteria is also described in this International Standard.

The data generated by the risk assessment (see ISO 29621) or by the preservation efficacy test, or both, are to be used to establish the level of antimicrobial protection required to minimize user risk.

© ISO 2012 – All rights reserved

This is a free page sample. Access the full version online.

This is a free page sample. Access the full version online.

Cosmetics — Microbiology — Evaluation of the antimicrobial protection of a cosmetic product

1 Scope

1.1 General

This International Standard comprises:

— a preservation efficacy test;

— a procedure for evaluating the overall antimicrobial protection of a cosmetic product which is not considered low risk, based on a risk assessment described in ISO 29621.

This International Standard provides a procedure for the interpretation of data generated by the preservation efficacy test or by the microbiological risk assessment, or both.

1.2 Preservation efficacy test

This test is a reference method that is to be used to evaluate the preservation of a cosmetic formulation. It applies to cosmetic products in the market place.

This test is not required for those cosmetic products for which the microbiological risk has been determined to be low (see Annex A and ISO 29621).

This test is primarily designed for water-soluble or water-miscible cosmetic products and can require adaptation, for example to test products in which water is the internal phase. The test described in this International Standard involves, for each test micro-organism, placing the formulation in contact with a calibrated inoculum, and then measuring the changes in the micro-organism count at set time intervals for a set period and at a set temperature.

NOTE This test can be used as a guideline to develop an in-house method during the development cycle of cosmetic products. In this case, the test can be modified or extended, or both, for example to make allowance for prior data and different variables (microbial strains, media, incubation conditions exposure time, etc.). Compliance criteria can be adapted to specific objectives. During the development stage of cosmetic products, other methods, where relevant, can be used to determine the preservation efficacy of formulations.

1.3 Procedure for evaluating the antimicrobial protection of the cosmetic product

This procedure is based on careful consideration of the following points.

— Results of the preservation efficacy test. Not all cosmetic products will require a preservation efficacy test (see Annex A and ISO 29621).

— Formulation characteristics and data provided by the microbiological risk assessment (see ISO 29621). The analysis of the microbiological risk assessment is based on an overall approach. In particular, it integrates variables such as characteristics and composition of the formulation, its production conditions, the characteristics of the packaging in which the formulation will be delivered to the market place, recommendations for use of the cosmetic product and, when relevant, the area of application and the targeted user population (see Annex D).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

© ISO 2012 – All rights reserved

This is a free page sample. Access the full version online.

ISO 16212, *Cosmetics — Microbiology — Enumeration of yeast and mould*

ISO 18415, *Cosmetics — Microbiology — Detection of specified and non-specified microorganisms*

ISO 21148, *Cosmetics — Microbiology — General instructions for microbiological examination*

ISO 21149, *Cosmetics — Microbiology — Enumeration and detection of aerobic mesophilic bacteria*

ISO 22716, *Cosmetics — Good Manufacturing Practices (GMP) — Guidelines on Good Manufacturing Practices*

ISO 29621, *Cosmetics — Microbiology — Guidelines for the risk assessment and identification of microbiologically low-risk products*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 21148 and the following apply.

3.1
cosmetic formulation
preparation of raw materials with a qualitatively and quantitatively defined composition

3.2
cosmetic product
finished cosmetic product that has undergone all stages of production, including packaging in its final container for shipment

3.3
antimicrobial protection of a cosmetic product
ability of a cosmetic product to overcome microbial contamination that might present a potential risk to the user

NOTE The overall antimicrobial protection includes preservation of the formulation, the specific manufacturing process and protective packaging.

3.4
preservation of a cosmetic formulation
set of means used to avoid microbial proliferation in a cosmetic formulation

EXAMPLES Preservatives, multifunctional compounds, hostile raw materials, extreme pH, low water-activity values.

3.5
reference method
method applied by interested parties to assess a product on the market and in case of dispute

3.6
development method
in-house method
method used during the development stage of a product before the product is put on the market

3.7
consumer
end user of a cosmetic product

4 Principle

The evaluation of the antimicrobial protection of a cosmetic product combines the following elements (see Annex A).

a) The characteristics of its formulation (see ISO 29621) or the results of the preservation efficacy test (if performed), or both.

   The preservation efficacy test is described in 5.1.

© ISO 2012 – All rights reserved

This is a free page sample. Access the full version online.

b) The characteristics of the cosmetic product in conjunction with the production conditions (see ISO 22716 and ISO 29621), the packaging materials and, if justified, recommendations for use of the product (see ISO 29621).

This International Standard describes a procedure for the interpretation of data generated by the preservation efficacy test (if appropriate) and by the microbiological risk assessment.

5 Preservation efficacy test

5.1 General

The evaluation of the preservation of a cosmetic formulation is based on inoculation of the formulation with calibrated inocula (prepared from relevant strains of micro-organisms). The number of surviving micro-organisms is measured at defined intervals during a period of 28 days. For each time and each strain, the log reduction value is calculated and compared to the minimum values required for evaluation criteria A or B (see Annex B).

When used as a reference method, procedures shall be strictly followed in order to avoid variability in results. To determine the preservation efficacy of a formulation during product development, other suitable development methods may be used (see 1.2).

Prior to the test, the microbiological quality of the product shall be determined in accordance with ISO 21149 and ISO 16212, or with ISO 18415.

NOTE The micro-organisms present in the test sample should not interfere with the recovery of the test organisms.

In the test, the neutralization of the possible antimicrobial activity of the tested sample shall be checked and demonstrated (see 5.5).

5.2 Materials, apparatus, reagents and culture media

General specifications and instructions are given in ISO 21148. When water is used in a formula, use distilled water or purified water as specified in ISO 21148:2005, 8.2.

5.2.1 Materials

Use usual microbiology laboratory equipment (see ISO 21148) and:

5.2.1.1 Glass beads, 3 mm to 4 mm in diameter.

5.2.1.2 Sintered glass filter, of porosity 2 (40 µm to 100 µm).

5.2.1.3 Roux flasks.

5.2.1.4 Sterile glass containers with closures, of suitable volumes.

5.2.1.5 Centrifuge, capable of a centrifugal force of 2 000 g.

5.2.2 Diluents, neutralizers and culture media

5.2.2.1 General

Unless otherwise specified, all reagents shall be equilibrated at ambient temperature before use. When available, ready-to-use reagents and media may be used.

5.2.2.2 Diluent

5.2.2.2.1 Composition

© ISO 2012 – All rights reserved

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation