



NSAI
Standards

Irish Standard
I.S. EN 12732:2013+A1:2014

Gas infrastructure - Welding steel pipework - Functional requirements

I.S. EN 12732:2013+A1:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 12732:2013+A1:2014

Published:

2014-04-23

This document was published under the authority of the NSAI and comes into effect on:

2014-05-03

ICS number:

25.160.40

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 12732:2013+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2014

ICS 25.160.40

Supersedes EN 12732:2013

English Version

Gas infrastructure - Welding steel pipework - Functional requirements

Infrastructures gazières - Soudage des tuyauteries en acier
- Prescriptions fonctionnelles

Gasinfrastruktur - Schweißen an Rohrleitungen aus Stahl -
Funktionale Anforderungen

This European Standard was approved by CEN on 14 March 2013 and includes Amendment 1 approved by CEN on 3 February 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	6
1 Scope	7
2 Normative references	8
3 Terms and definitions	11
4 Quality system	13
4.1 General.....	13
4.2 Welding contractors	14
4.3 Welders	15
4.4 Welding supervisory and coordination personnel.....	15
4.5 Testing companies and personnel.....	15
4.5.1 General.....	15
4.5.2 Non-destructive testing (NDT).....	15
4.5.3 Destructive testing (DT)	15
5 Welding consumables	15
6 Production welding.....	16
6.1 General requirements.....	16
6.1.1 General.....	16
6.1.2 Working area	16
6.1.3 Layout of weld joints	17
6.1.4 Types of weld joints	17
6.1.5 Joint edge preparation	17
6.1.6 Weld fit-up	17
6.1.7 Different wall thickness.....	17
6.1.8 Pipe branches and nozzles	17
6.1.9 Laminations	17
6.1.10 Butt welds cross joints	17
6.2 Joint preparation.....	17
6.2.1 Pipe end preparation	17
6.2.2 Alignment of the joints	17
6.3 Preheating	18
6.4 Tacking	18
6.5 Welding	18
6.6 Actions after welding	18
6.7 Repair of weld defects.....	19
7 Special procedures.....	19
7.1 General.....	19
7.2 Attachment of structural parts	19
7.3 Attachment of cathodic protection connections.....	19
7.4 Hot-tapping and other welding work on in-service pipelines	20
8 Inspection of the weld joint	20
8.1 General.....	20
8.2 Scope of inspection.....	20
8.3 Non-destructive testing and assessment levels	22
8.4 Time of inspection	23
8.5 Acceptance criteria.....	23
8.6 Recording of test results	24

9	Documentation	24
9.1	General	24
9.2	Archiving requirements	24
10	Specific requirements for gas infrastructure with a MOP up to and including 16 bar	24
10.1	General	24
10.2	Welders	24
10.3	Welding supervisory personnel	25
10.4	Production welding	25
10.4.1	General	25
10.4.2	Joint preparation	25
10.4.3	Welding	25
10.5	Requirements for records and documentation	25
11	Specific requirements for gas infrastructure with a MOP greater than 16 bar	26
11.1	General	26
11.2	Welders	26
11.3	Welding supervisory personnel	26
11.4	Qualification of welding procedures	26
11.4.1	General	26
11.4.2	Filler material requirements for welding procedure qualification	26
11.4.3	Impact testing	27
11.4.4	Transverse tensile test	27
11.4.5	All-weld-metal tensile test	28
11.5	Production welding	28
11.5.1	General	28
11.5.2	Joint preparation	28
11.5.3	Welding	28
11.5.4	Repairs of weld defects	29
11.5.5	Welding consumables	29
11.6	Destructive testing of production welds	29
11.7	Acceptance requirements	29
11.8	Requirements for records and documentation	30
12	Specific requirements for metering, regulating and compressor stations	31
12.1	General	31
12.2	Specific requirements	31
Annex A	(informative) Qualification procedure for pipeline welders (Girth welds and branch connections)	32
A.1	General	32
A.2	Approval test	32
A.2.1	Execution of the approval test	32
A.2.2	Range of test pieces	32
A.2.3	Supervision of execution of approval test	33
A.3	Inspection	33
A.3.1	General	33
A.3.2	Testing girth welds	34
A.3.3	Testing weldolets	34
A.4	Approval range	34
A.4.1	General	34
A.4.2	Dimension ranges	34

EN 12732:2013+A1:2014 (E)

A.4.3	Techniques	34
A.5	Certificate	35
A.5.1	General	35
A.5.2	Duration of validity	35
Annex B	(informative) Testing of lamination defects	36
Annex C	(informative) Time-of-flight diffraction technique (TOFD)	37
C.1	General	37
C.2	Additional and substitutional requirements to EN ISO 10863:2011	37
C.2.1	Addition to the whole document EN ISO 10863:2011	37
C.2.2	Addition to EN ISO 10863:2011, Clause 3 "Terms and definitions"	37
C.2.3	Addition to EN ISO 10863:2011, Clause 5, "Examination Levels"	39
C.2.4	Addition to EN ISO 10863:2011, 7.2.2, "Ultrasonic probes"	39
C.2.5	Substitution of EN ISO 10863:2011, Clause 11, 3rd paragraph "Weld testing"	39
C.2.6	Substitution of EN ISO 10863:2011, 12.5.2 "Sizing"	40
Annex D	(informative) Critical aspects for hot-tap welding or welding on in-service pipelines	45
D.1	General	45
D.2	Recommendations	45
D.2.1	Equipment	45
D.2.2	Supervision	45
D.2.3	Safety precautions	45
D.2.4	Identification	45
D.2.5	Filler materials	45
D.3	Weld preparation	46
D.4	Welding procedure specification (WPS)	46
D.4.1	Description of the WPS	46
D.4.2	Qualification of the WPS	46
D.4.3	Approval of the WPS	46
D.5	Qualification of the welder	46
D.6	Precautions	46
D.7	Execution	47
D.8	Repairs	47
D.9	WPS qualification record	47
Annex E	(informative) Visual examination of joints	49
E.1	General	49
E.2	Recommendations	49
Annex F	(informative) Manual ultrasonic testing of weld joints for wall thickness between approximately 6 mm and 8 mm	50
F.1	General	50

F.2	Setting	50
F.2.1	Setting of range	50
F.2.2	Sensitivity adjustment when using the Distance Gain Size method	50
Annex G	(normative) Acceptance criteria - Recommendations for on-site production welds	54
G.1	General	54
G.2	Acceptance criteria according to EN ISO 5817	54
G.3	Summary of requirements for defect acceptance levels and defect limits	57
G.3.1	General	57
G.3.2	Requirements	58
G.4	Method and acceptance criteria for ultrasonic inspection assessment	65
G.4.1	Distance Gain Size method	65
G.4.2	Comparative Element method	65
G.4.3	General	65
G.4.4	Assessment of indications using automatic pulse-echo technique	67
Annex H	(informative) Brazing and aluminothermic welding of leads for cathodic protection systems	68
H.1	Joining techniques	68
H.2	Procedure qualification	68
H.3	Operation qualification	70
H.4	Production joints	70
Annex I	(informative) Significant technical changes between this European Standard and the previous edition	71
Bibliography	72

EN 12732:2013+A1:2014 (E)

Foreword

This document (EN 12732:2013+A1:2014) has been prepared by Technical Committee CEN/TC 234 "Gas infrastructure", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2014, and conflicting national standards shall be withdrawn at the latest by October 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes A1 EN 12732:2013 A1.

This document includes Amendment 1 approved by CEN on 2014-02-03.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This European Standard has been prepared under mandate M/017 given to CEN by the Commission of the European Communities and the European Free Trade Association.

Annex I provides details of significant technical changes between this European Standard and the previous edition.

There is a complete suite of functional standards prepared by CEN/TC 234 "Gas infrastructure" to cover all parts from the input of gas to the transmission system up to the inlet connection of the gas appliances, whether for domestic, commercial or industrial purposes.

In preparing this standard a basic understanding of gas infrastructure by the user has been assumed.

Gas infrastructure is complex and the importance on safety of its construction and use has led to the development of very detailed codes of practice and operating manuals in the member countries. These detailed statements embrace recognised standards of gas engineering and the specific requirements imposed by the legal structures of the member countries.

CEN/TC 234 will continue its work updating this standard to the latest developments at regular intervals.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard contains requirements for the production and testing of weld joints for the installation and modification of onshore steel pipelines and pipework used in gas infrastructure, including in-service pipelines, for all pressure ranges for the carriage of processed, non-toxic and non-corrosive natural gas according to EN ISO 13686 and for the carriage of non-conventional gases such as injected biomethane,

where

- the pipeline elements are made of unalloyed or low-alloyed carbon steel;
- the pipeline is not located within commercial or industrial premises as integral part of the industrial process on those premises except for any pipelines and facilities delivering gas to such premises;
- the pipework is not located within household installations according to EN 1775;
- the design temperature of the system is between -40 °C up to and including 120 °C.

The onshore steel pipelines and pipework used in gas infrastructure include in-service pipelines, for all pressure ranges for the carriage of processed, non-toxic and non-corrosive natural gas according to EN ISO 13686 and for the carriage of non-conventional gases complying with EN ISO 13686, and for which a detailed technical evaluation of the functional requirements (such as injected biomethane) is performed ensuring there are no other constituents or properties of the gases that can affect the integrity of the pipeline.

This standard is not applicable to welds produced prior to the publication of this European Standard.

Table 1 assigns the application areas to quality requirement categories as a function of the working pressure and pipe materials used.

Table 1 — Allocation to quality requirement categories

Quality requirement category	Area of activity applies to	
B	Pressure range and base material	<p>≤ 5 bar</p> <p>Group 1.1, 1.2 and 1.4 according to CEN ISO/TR 15608</p> <p>$R_{t0,5} \leq 360 \text{ N/mm}^2$</p> <p>Examples of use: Mains and service pipes in gas distribution systems, pipework in stations</p>
C	Pressure range and base material	<p>> 5 bar ≤ 16 bar</p> <p>Group 1.1, 1.2 and 1.4 according to CEN ISO/TR 15608</p> <p>$R_{t0,5} \leq 360 \text{ N/mm}^2$</p> <p>Examples of use: Pipelines including pipework in stations and gas distribution systems</p>
D	Pressure range or base material	<p>> 16 bar^a</p> <p>Group 1, 2 and 3 according to CEN ISO/TR 15608</p>

EN 12732:2013+A1:2014 (E)

Quality requirement category	Area of activity applies to	
	Examples of use: Pipelines including pipework in stations and gas transmission systems	
Key $R_{t0,5}$ is the specified minimum yield strength according to EN ISO 3183.		
NOTE 1 "Category A" for pipework up to and including 100 mbar, as mentioned in the previous version EN 12732:2000, has been incorporated in the pressure range of "Category B" and has been deleted from this table.		
NOTE 2 Gas infrastructure with a MOP up to and including 16 bar is generally dedicated to gas distribution.		
^a Pipelines having hoop stresses at design pressure up to 30 % of specified minimum yield strength ($R_{t0,5}$) and operated at a pressure up to 24 bar may be allocated to quality requirement Category C by the pipeline operator.		

Additional requirements may be specified when, for example:

- the strain on pipelines and systems,
- the materials,
- the line routing,
- the design or the welding technique

are considered critical.

This European Standard specifies common basic principles for gas infrastructure. Users of this European Standard should be aware that there can exist more detailed national standards and/or codes of practice in the CEN member countries.

This European Standard is intended to be applied in association with these national standards and/or codes of practice setting out the above-mentioned basic principles.

In the event of conflicts in terms of more restrictive requirements in national legislation/regulation with the requirements of this standard, the national legislation/regulation takes precedence as illustrated in CEN/TR 13737 (all parts).

NOTE CEN/TR 13737 (all parts) contains:

- clarification of relevant legislation/regulations applicable in a country;
- if appropriate, more restrictive national requirements;
- national contact point for the latest information.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-