This is a free page sample. Access the full version online.

NSAI Standards

Irish Standard
I.S. EN 12101-10:2005

Smoke and heat control systems - Part 10: Power supplies

© NSAI 2005 No copying without NSAI permission except as permitted by copyright law.

This is a free page sample. Access the full version online.

I.S. EN 12101-10:2005

Incorporating amendments/corrigenda issued since publication:
EN 12101-10:2005/AC:2007

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
EN 12101-10:2005

Published:
12 October, 2005

This document was published under the authority of the NSAI and comes into effect on:
2 December, 2005

ICS number:
13.220.99

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W **NSAI.ie**

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 12101-10:2005/AC

January 2007
Janvier 2007
Januar 2007

ICS 13.220.99

English version
Version Française
Deutsche Fassung

Smoke and heat control systems - Part 10: Power supplies

Systèmes pour le contrôle des fumées et de la chaleur - Partie 10 : Equipement d'alimentation en énergie

Rauch- und Wärmefreihaltung - Teil 10: Energieversorgung

This corrigendum becomes effective on 24 January 2007 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 24 janvier 2007 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 24.Januar 2007 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2007 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN.
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

Ref. No.:EN 12101-10:2005/AC:2007 D/E/F

This is a free page sample. Access the full version online.

English version

5.2.5.2 shall be modified as follows:

The maximum filling shall not exceed:

— **500** g at 50 °C maximum ambient temperature;

5.2.5.3 shall be modified as follows:

The filling pressure at 15 °C shall be as follows, depending upon the maximum ambient temperature:

— 50 °C: 150 bar for a maximum ambient temperature of 50 °C;

— 68 °C: **135** bar for a maximum ambient temperature of 68 °C;

— 93 °C: **125** bar for a maximum ambient temperature of 93 °C.

Version française

5.2.5.2 doit être modifié comme suit:

Le remplissage maximal ne doit pas dépasser :

— **500** g à une température ambiante maximale de 50 °C ;

5.2.5.3 doit être modifié comme suit:

La pression de remplissage à 15 °C doit être la suivante, en fonction de la température ambiante maximale :

— 50 °C : 150 bar à une température ambiante maximale de 50 °C ;

— 68 °C : **135** bar à une température ambiante maximale de 68 °C ;

— 93 °C : **125** bar à une température ambiante maximale de 93 °C.

Deutsche Fassung

5.2.5.2 ist wie folgt zu modifizieren:

Die maximale Füllung darf nicht mehr sein als:

— **500** g bei einer maximalen Umgebungstemperatur von 50 °C;

5.2.5.3 ist wie folgt zu modifizieren:

Der Fülldruck bei 15 °C muss, abhängig von der maximalen Umgebungstemperatur, wie folgt sein:

— 50 °C: 150 bar bei einer maximalen Umgebungstemperatur von 50 °C;

— 68 °C: **135** bar bei einer maximalen Umgebungstemperatur von 68 °C;

— 93 °C: **125** bar bei einer maximalen Umgebungstemperatur von 93 °C.

This is a free page sample. Access the full version online.

I.S. EN 12101-10:2005

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 12101-10

October 2005

ICS 13.220.99

English Version

Smoke and heat control systems - Part 10: Power supplies

Systèmes pour le contrôle des fumées et de la chaleur - Partie 10 : Equipement d'alimentation en énergie

Rauch- und Wärmefreihaltung - Teil 10: Energieversorgung

This European Standard was approved by CEN on 26 August 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2005 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 12101-10:2005: E

This is a free page sample. Access the full version online.

Contents

Page

Foreword 4

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms, definitions and abbreviations 8
3.1 Terms and definitions 8
3.2 Abbreviations 9

4 General requirements (electrical) 10
4.1 General 10
4.2 Batteries 11
4.3 Generator sets 11

5 General requirements (pneumatic) 12
5.1 General 12
5.2 Power sources 12

6 Functions 15
6.1 Power supply from the primary power source (electrical) 15
6.2 Power supply from the secondary power source (battery) 15
6.3 Power supply from the secondary power source (generators) 16
6.4 Recognition and indication of faults (electrical) 17
6.5 Power supply from compressed gases 18

7 Materials, design and manufacture 20
7.1 Mechanical design 20
7.2 Electrical design 20

8 Classification 20

9 Documentation 21
9.1 User´s documentation 21
9.2 Design documentation 22

10 Marking 22
10.1 General 22
10.2 Gas bottles 23

11 General test requirements 23
11.1 Standard atmospheric conditions for testing 23
11.2 Mounting and orientation 23
11.3 Electrical connection 23
11.4 Selection of tests 23

12 Tests 26
12.1 Electrical functional test 26
12.2 Pneumatic functional test 28
12.3 Test of the charger and the secondary power source 28
12.4 Cold (operational) 29
12.5 Damp heat, steady state (operational) 30
12.6 Impact (operational) 31
12.7 Vibration, sinusoidal (operational) 31
12.8 Damp heat, steady state (endurance) 32
12.9 Vibration, sinusoidal (endurance) 34

This is a free page sample. Access the full version online.

12.10 Dry heat (operational) 34
12.11 SO_2 corrosion 35
12.12 Salt spray testing 37
12.13 Protection against water 38
12.14 Protection against solid foreign objects 38
12.15 EMC immunity tests (operational) 39

13 Evaluation of conformity 40
13.1 General 40
13.2 Initial type testing 40
13.3 Factory production control (FPC) 41

Annex A (informative) Summary of functions 45

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive 46
ZA.1 Scope and relevant characteristics 46
ZA.2 Procedure for attestation of conformity of power supply equipment 47
ZA.2.1 System of attestation of conformity 47
ZA.2.2 EC Certificate and Declaration of conformity 48
ZA.3 CE marking and labelling 49

This is a free page sample. Access the full version online.

Foreword

This European Standard (EN 12101-10:2005) has been prepared by Technical Committee CEN/TC 191 “Fixed firefighting systems”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2006, and conflicting national standards shall be withdrawn at the latest by April 2006.

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this European Standard.

EN 12101 ‘Smoke and heat control systems’ consists of the following:

Part 1: Specification for smoke barriers,

Part 2: Specification for natural smoke and heat exhaust ventilators,

Part 3: Specification for powered smoke and heat exhaust ventilators,

Part 4: Fire and smoke control installations – Kits,

Part 6: Pressure differential systems – Kits,

Part 7: Smoke control ducts,

Part 8: Specifications for smoke control dampers,

Part 9: Control panels,

Part 10: Power supplies.

EN 12101 is included in a series of European Standards planned to cover also:

— Gas extinguishing systems (EN 12094 and EN ISO 14520),

— Sprinkler systems (EN 12259),

— Powder systems (EN 12416),

— Explosion protection systems (EN 26184),

— Foam systems (EN 13565),

— Hose systems (EN 671),

— Water spray systems.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic,

This is a free page sample. Access the full version online.

Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

This is a free page sample. Access the full version online.

Introduction

Smoke and heat control systems are used to protect people, buildings and/or building contents from the effects of smoke and heat in the event of fire. The most common systems are smoke and heat exhaust ventilation systems (SHEVS) and pressure differential systems.

Smoke and heat exhaust ventilation systems (SHEVS) create a smoke free layer above the floor by removing smoke and thus improve the conditions for the safe escape and/or rescue of people and animals and the protection of property and permit the fire to be fought while still in its early stages. They also exhaust hot gases released by a fire in the developing stage.

The use of smoke and heat exhaust ventilation systems to create smoke free areas beneath a buoyant smoke layer has become widespread. Their value in assisting in the evacuation of people from construction works, reducing fire damage and financial loss by preventing smoke logging, facilitating fire fighting, reducing roof temperatures and retarding the lateral spread of fire is firmly established. For these benefits to be obtained it is essential that smoke and heat exhaust ventilators operate fully and reliably whenever called upon to do so during their installed life. A heat and smoke exhaust ventilation system is a scheme of safety equipment intended to perform a positive role in a fire emergency.

Components for smoke and heat exhaust systems should be installed as part of a properly designed smoke and heat system.

Smoke and heat exhaust ventilation systems help to:

— keep the escape and access routes free from smoke;

— facilitate fire fighting operations by creating a smoke free layer;

— delay and/or prevent flashover and thus full development of the fire;

— protect buildings, equipment and furnishings;

— reduce thermal effects on structural components during a fire;

— reduce damage caused by thermal decomposition products and hot gases.

Pressure differential systems are used to either positively pressurise spaces separated from the fire or to depressurise the space containing the fire in order to limit or prevent the flow of smoke and heat into adjacent spaces. A typical use would be to pressurise an escape stair well in order to protect vertical means of escape.

Depending on the design of the system, natural or powered smoke and heat ventilation can be used in a smoke and heat control system.

Power supply equipment for a smoke and heat control system may be for pneumatic systems, low voltage or extra low voltage electrical systems, or a combination of any of these.

Smoke and heat control system power supplies may also provide power for day to day ventilation and for other fire safety equipment under fire conditions.

This is a free page sample. Access the full version online.

1 Scope

This European Standard specifies requirements and gives test methods for primary and secondary electrical and pneumatic power supply equipment, designed for use in smoke and heat control systems in buildings. It also provides for the evaluation of conformity of such equipment to the requirements of this European Standard.

NOTE A summary of functions is given in Annex A.

2 Normative references

The following referenced documents are indispensable for the application of this European Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 286-1, *Simple unfired pressure vessels designed to contain air or nitrogen – Part 1: Pressure vessels for general purposes*

EN 1964-1, *Transportable gas cylinders – Part 1: Specification for the design and construction of refillable transportable seamless steel gas cylinders of water capacities from 0,5 litre up to and including 150 litres. Cylinders made of seamless steel with an R_m value of less than 1100 MPa*

prEN 12101-9, *Smoke and heat control systems – Part 9: Control panels*

EN 12205, *Transportable gas cylinders – Non-refillable metallic gas cylinders*

EN 13293, *Transportable gas cylinders – Specification for the design and construction of refillable transportable seamless normalized carbon manganese steel gas cylinders of water capacity up to 0,5 litre for compressed, liquefied and dissolved gases and up to 1 litre for carbon dioxide*

EN 50130-4, *Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder and social alarm systems*

EN 60068-1, *Environmental testing – Part 1: General and guidance (IEC 60068-1:1988 + Corrigendum 1988 + A1:1992)*

EN 60068-2-1, *Environmental testing – Part 2-1: Test methods – Tests A: Cold (IEC 60068-2-1:1990)*

EN 60068-2-6, *Environmental testing – Part 2-6: Test methods – Test Fc: Vibration (sinusoidal) (IEC 60068-2-6:1990 + Corrigendum 1995)*

EN 60068-2-47, *Environmental testing – Part 2-47: Test methods – Mounting of components, equipment and other articles for vibration, impact and similar dynamic tests (IEC 60068-2-47:1999)*

EN 60068-2-52:1996, *Environmental testing – Part 2-52 – Test methods – Test Kb, salt mist cyclic (sodium chloride solution (IEC 60068-2-52:1996)*

EN 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests (IEC 60068-2-75:1997)*

EN 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state (IEC 60068-2-78:2001)*

EN 60204-1, *Safety of machinery – Electrical equipment of machines – Part 1: General requirements (IEC 60204-1:1997)*

EN 60529, *Degrees of protection provided by enclosures (IP code) (IEC 60529:1989)*

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation