

Irish Standard I.S. EN 1948-4:2010+A1:2013

Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 4: Sampling and analysis of dioxin-like PCBs

© CEN 2013 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 1948-4:2010+A1:2013

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revices/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN 1948-4:2010+A1:2013

2013-12-04

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

13.040.40

2013-12-14

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 1948-4:2010+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2013

ICS 13.040.40

Supersedes EN 1948-4:2010

English Version

Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 4: Sampling and analysis of dioxin-like PCBs

Émissions de sources fixes - Détermination de la concentration massique en PCDD/PCDF et PCB de type dioxine - Partie 4: Prélèvement et analyse des PCB de type dioxine

Emissionen aus stationären Quellen - Bestimmung der Massenkonzentration von PCDD/PCDF und dioxinähnlichen PCB - Teil 4: Probenahme und Analyse dioxinähnlicher PCB

This European Standard was approved by CEN on 28 August 2010 and includes Amendment 1 approved by CEN on 23 October 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	Contents Page				
Forew	ord	4			
Introd	uction	5			
1	Scope	6			
2	Normative references	7			
3	Terms and definitions	7			
4 4.1 4.2	Symbols and abbreviations General Polychlorinated biphenyls	. 10			
5	Principle of the measurement procedure	. 11			
6 6.1 6.2 7	Device, materials and ¹³ C ₁₂ -labelled standards Device and materials ¹³ C ₁₂ -labelled standards Safety measures	. 12 . 12			
8 8.1 8.2 8.3 8.4 8.5 8.6 8.7 8.8 8.8.1 8.8.2 8.8.3 8.9 8.10 9 9.1 9.2 9.3 9.3.1 9.3.2	Measurement procedure Sampling Extraction Clean-up Final concentration of the sample extracts Addition of recovery standards. Principle of identification and quantification Calibration of the HRGC/HRMS Quantification of HRGC/HRMS results Quantification of the sample Calculation of the recovery rates of the extraction standards Calculation of the recovery rates of the sampling standards Calculation of the measurement results Analytical report. Method validation General Validation of Sampling Validation of Analytical Extraction and Clean-up Extraction Clean-up.	. 13 . 13 . 14 . 15 . 15 . 15 . 16 . 18 . 18 . 19 . 20 . 21 . 21 . 22 . 22			
10 10.1 10.2 10.3 10.4 10.5 10.6	Quality control requirements for the measurement Use of a validated method Use of ¹³ C ₁₂ -labelled standards Minimum requirements for sampling Minimum requirements for extraction and clean-up Minimum requirements for identification of PCB congeners Minimum requirements for quantification	. 22 . 23 . 23 . 24 . 24			
11 11.1 11.2	Quality assurance criteria for extraction/clean-up/quantification procedure blanks Analytical blankHRGC/HRMS blank	. 26			

12 12.1	Performance characteristics	
12.2	Results of the validation campaign	27
13	Interferences (informative)	28
Annex	A (informative) Toxicity and toxic equivalency	30
Annex	B (informative) Examples of extraction and clean-up procedures	32
B.1	Example for clean-up of PCB and the separation from PCDD/PCDFs	32
B.1.1	General	32
B.1.2	Chromatography column I	34
B.1.3	Chromatography column II	34
B.1.4	Additional clean-up I	34
B.1.5	Additional clean-up II	35
B.1.5.1	General	35
B.1.5.2	Carbon Column	35
B.1.5.3	Preparation	35
B.1.6	Addition of the recovery standard	35
B.1.7	HRGC/HRMS-analysis	35
B.2	Description of extraction and clean-up procedures used in the validation campaign	41
Annex	C (informative) Evaluation of the performance characteristics	43
C.1	General	43
C.2	Interlaboratory comparison study of the analytical method	43
C.3	Accuracy	44
C.4	Limits of detection (LOD) and limits of quantification (LOQ)	46
C.5	Recovery	48
C.6	Breakthrough	49
Annex	D (informative) Recommendations for measuring high concentrations of dioxin-like PCBs	51
Annex	E (informative) Possible interferences in dioxin-like PCB analysis	52
Annex	F (informative) Measurement of the marker PCBs 28, 52, 101, 138, 153, and 180 in addition to the 12 dioxin-like PCBs	56
Annex	G (informative) Measurement of hexachlorobenzene (HCB)	59
	H (informative) Significant technical changes	
	ZA (informative) Relationship between this European Standard and the essential requirements of EU Directives	
Bibliog	raphy	62
_		

Foreword

This document (EN 1948-4:2010+A1:2013) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2014, and conflicting national standards shall be withdrawn at the latest by June 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 21 October 2013.

This document supersedes A EN 1948-4:2010 A.

Annex H provides details of significant technical changes between this European Standard and the previous document CEN/TS 1948-4:2007.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The start and finish of text introduced or altered by amendment is indicated by tags [A].

EN 1948 consists of several parts dealing with the determination of the mass concentration of PCDDs, PCDFs and PCBs in stationary source emissions:

- Part 1: Sampling of PCDDs/PCDFs
- Part 2: Extraction and clean-up of PCDDs/PCDFs
- Part 3: Identification and quantification of PCDDs/PCDFs
- Part 4: Sampling and analysis of dioxin-like PCBs

The first three parts are necessary for the performance of the PCDD/PCDF measurements. In addition this document EN 1948-4 describes the sampling, extraction and analyses of dioxin-like PCBs and requires references to EN 1948-1, -2, -3.

The precision and the performance characteristics of the measurement of PCBs were determined between 2006 and 2008 in a comparison and validation trial at both a waste incinerator and a shredder plant sponsored by the European Commission and the European Free Trade Association. The basic requirements of the determination of PCBs were first published as CEN/TS 1948-4, which served as a basis for these mandated validation measurements. This document EN 1948-4 additionally includes important guidance for sampling and analysis over a broad concentration range gained during the mandated validation measurements.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Polychlorinated biphenyls (PCBs) are a group of chlorinated aromatic compounds similar in structure to polychlorinated dibenzo-*p*-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) which consist of 209 individual substances (see Figure 1 for the basic structure).

PCBs have been produced intentionally over approximately 50 years until the end of the 1990s with different uses in open and closed systems, e.g. as electrical insulators or dielectric fluids in capacitors and transformers, specialised hydraulic fluids, as a plasticiser in sealing material, etc. Worldwide, more than one million tons of PCBs were produced.

PCBs as well as PCDD/PCDF are emitted from thermal and other processes. PCB can contribute to the Total WHO-TEQ as reported for Germany [1]; [2], Great Britain [3], Poland [4], Spain [5], Japan [6]; [7], Korea [8].

In 1997 a group of experts of the World Health Organisation (WHO) defined toxicity equivalent factors (TEFs) for PCDDs/PCDFs and 12 PCBs, known as dioxin-like PCBs [9, 10] (see Annex A). These 12 dioxin-like PCBs consist of four non-ortho PCBs and eight mono-ortho PCBs (no or only one chlorine atoms in 2-, 2'-, 6- and 6'-position), having a planar or mostly planar structure, see Figure 1. In the meanwhile these toxicity equivalent factors were revised (see Annex A).

This document deals with the determination of these *dioxin-like* PCBs in emissions from stationary sources. Additionally informative annexes are provided, describing the analyses of the marker PCBs and hexachlorobenzene (HCB) in the same sample (Annex F and Annex G).

Only skilled operators who are trained in handling highly toxic compounds should apply this document.




Figure 1 —Structure of PCB

1 Scope

This European Standard specifies sampling from stationary sources, extraction, clean-up, identification and quantification procedures of the dioxin-like PCBs. The procedure described lays down requirements to measure the PCB congeners given in Annex A (see Table A.1). It is applicable to the 12 non- and mono-ortho PCB designated by the WHO. It is optimised to measure PCB concentrations of about 0,01 ng WHO- TEQ_{PCB}/m^3 .

In addition to the 12 non- and mono-ortho-PCB the present document is also applicable to measure further PCB-congeners like the "marker PCB" 28, 52, 101, 138, 153, 180 (see Annex F).

This document specifies a framework of quality control requirements for any PCB sampling, extraction, clean-up, identification and quantification methods to be applied.

As a result of their similar chemical behaviour PCBs, as shown in the validation campaign, can be sampled from stationary sources together with the PCDDs/PCDFs. Therefore, it is possible to measure PCBs together with PCDDs/PCDFs by applying EN 1948-1, -2, -3 and -4. The complete sampling procedure is described in EN 1948-1. Each of the three sampling methods of EN 1948-1 can be combined with the methods described in this document to complete the measurement procedure. EN 1948-1 is an integral part of the complete measurement procedure and is necessary for the determination of PCBs.

The analyses of the following PCB congeners is described in this European Standard and is validated in the validation campaign:

- a) Non-ortho substituted PCBs
 - 1) 3,3',4,4'-TeCB(77)
 - 2) 3,4,4',5-TeCB (81)
 - 3) 3,3',4,4',5-PeCB (126)
 - 4) 3,3',4,4',5,5'-HxCB (169)
- b) Mono-ortho substituted PCBs
 - 1) 2,3,3',4,4'-PeCB (105)
 - 2) 2,3,4,4',5-PeCB (114)
 - 3) 2,3',4,4',5-PeCB (118)
 - 4) 2',3,4,4',5-PeCB (123)
 - 5) 2,3,3',4,4',5-HxCB (156)
 - 6) 2,3,3',4,4',5'-HxCB (157)
 - 7) 2,3',4,4',5,5'-HxCB (167)
 - 8) 2,3,3',4,4',5,5'-HpCB (189)
- c) Marker PCBs
 - 1) 2,4,4'- TriCB (28)

- 2) 2,2',5,5'-TeCB (52)
- 3) 2,2',4,5,5'- PeCB (101)
- 4) 2,2',3,4,4',5'- HxCB (138)
- 5) 2,2',4,4',5,5'- HxCB (153)
- 6) 2,2',3,4,4',5,5'- HpCB (180)

Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1948-1:2006, Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 1: Sampling of PCDDs/PCDFs

EN 1948-2:2006, Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 2: Extraction and clean-up of PCDDs/PCDFs

EN 1948-3:2006, Stationary source emissions - Determination of the mass concentration of PCDDs/PCDFs and dioxin-like PCBs - Part 3: Identification and quantification of PCDDs/PCDFs

EN 13284-1:2001, Stationary source emissions - Determination of low range mass concentration of dust -Part 1: Manual gravimetric method

Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1948-1:2006, EN 1948-2:2006, EN 1948-3:2006 and the following apply.

3.1

analytical blank value

value determined by a blank sample covering the complete analytical procedure including extraction, cleanup, identification and quantification including all the relevant reagents and materials

3.2

congener

any one of the 209 individual PCBs

3.3

dioxin-like PCB

WHO-PCB

non- and mono-ortho PCB with an affinity to the Ah-receptor, showing similar toxic effects as the 2,3,7,8substituted PCDDs/PCDFs according to WHO [9]

3.4

extraction standard

quantification standard

³C₁₂-labelled PCBs, added before extraction and used for calculating results



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation