

Irish Standard I.S. EN 62506:2013

Methods for product accelerated testing (IEC 62506:2013 (EQV))

© CENELEC 2013 No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments/corrigenda issued since publication:	

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:	This document EN 62506:2013		shed: gust, 2013
This document was published under the authority of the No. 5 September, 2013	ed ISAI and comes into effect on	:	ICS number: 03.120.01 21.020
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie	

Údarás um Chaighdeáin Náisiúnta na hÉireann

W NSALie

This is a free page sample. Access the full version online.

I.S. EN 62506:2013

EUROPEAN STANDARD

EN 62506

NORME EUROPÉENNE EUROPÄISCHE NORM

August 2013

ICS 03.120.01; 21.020

English version

Methods for product accelerated testing

(IEC 62506:2013)

Méthodes d'essais accélérés de produits (CEI 62506:2013)

Verfahren für beschleunigte Produktprüfungen (IEC 62506:2013)

This European Standard was approved by CENELEC on 2013-06-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 62506:2013

- 2 -

Foreword

The text of document 56/1503/FDIS, future edition 1 of IEC 62506, prepared by IEC/TC 56 "Dependability" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62506:2013.

The following dates are fixed:

•	latest date by which the document has	(dop)	2014-03-21
	to be implemented at national level by		
	publication of an identical national		
	standard or by endorsement		
•	latest date by which the national	(dow)	2016-06-21
	standards conflicting with the		
	document have to be withdrawn		

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62506:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60812 NOTE Harmonized as EN 60812:2006

IEC 61125:1992 NOTE Harmonized as EN 61125:1993 (not modified).

EN 62506:2013

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication IEC 60068	<u>Year</u> Series	<u>Title</u> Environmental testing	EN/HD -	<u>Year</u> -
IEC 60300-3-1	2003	Dependability management - Part 3-1: Application guide - Analysis techniques for dependability - Guide on methodology	EN 60300-3-1	2004
IEC 60300-3-5		Dependability management - Part 3-5: Application guide - Reliability test conditions and statistical test principles	- :	-
IEC 60605-2		Equipment reliability testing - Part 2: Design of test cycles	-	-
IEC 60721	Series	Classification of environmental testing	-	-
IEC 61014	2003	Programmes for reliability growth	EN 61014	2003
IEC 61124 + corr. January	2012 2013	Reliability testing - Compliance tests for constant failure rate and constant failure intensity	EN 61124	2012
IEC 61163-2		Reliability stress screening - Part 2: Electronic components	-	-
IEC 61164	2004	Reliability growth - Statistical test and estimation methods	EN 61164	2004
IEC 61649	2008	Weibull analysis	EN 61649	2008
IEC 61709	2011	Electric components - Reliability - Reference conditions for failure rates and stress model for conversion		2011
IEC 61710		Power law model - Goodness-of-fit tests and estimation methods	dEN 61710	
IEC 62303		Radiation protection instrumentation - Equipment for monitoring airborne tritium	-	-
IEC/TR 62380		Reliability data handbook - Universal model for reliability prediction of electronics components, PCBs and equipment	-	-
IEC 62429		Reliability growth - Stress testing for early failures in unique complex systems	EN 62429	

This is a free page sample. Access the full version online.

I.S. EN 62506:2013

This page is intentionally left BLANK.

-2-

62506 © IEC:2013

CONTENTS

FO	REWC)RD		5
INT	RODU	JCTION		7
1	Scop	e		8
2	Norm	ative re	ferences	8
3	Term	s, defini	itions, symbols and abbreviations	9
	3.1	Terms	and definitions	9
	3.2	Symbo	Is and abbreviated terms	11
4	Gene	ral desc	cription of the accelerated test methods	12
	4.1	Cumula	ative damage model	12
	4.2	Classif	ication, methods and types of test acceleration	14
		4.2.1	General	14
		4.2.2	Type A: qualitative accelerated tests	15
		4.2.3	Type B: quantitative accelerated tests	15
		4.2.4	Type C: quantitative time and event compressed tests	
5	Accel		test models	
	5.1	Type A	, qualitative accelerated tests	
		5.1.1	Highly accelerated limit tests (HALT)	
		5.1.2	Highly accelerated stress test (HAST)	
		5.1.3	Highly accelerated stress screening/audit (HASS/HASA)	
		5.1.4	Engineering aspects of HALT and HASS	
	5.2	• •	and C – Quantitative accelerated test methods	
		5.2.1 5.2.2	Purpose of quantitative accelerated testing	
		5.2.2	Physical basis for the quantitative accelerated Type B test methods Type C tests, time (C_1) and event (C_2) compression	
	5.3		mechanisms and test design	
	5.4		nination of stress levels, profiles and combinations in use and test –	20
	0		modelling	27
		5.4.1	General	27
		5.4.2	Step-by-step procedure	27
	5.5	Multiple	e stress acceleration methodology – Type B tests	27
	5.6	Single	and multiple stress acceleration for Type B tests	
		5.6.1	Single stress acceleration methodology	30
		5.6.2	Stress models with stress varying as a function of time – Type B tests	37
		5.6.3	Stress models that depend on repetition of stress applications –	51
		0.0.0	Fatigue models	38
		5.6.4	Other acceleration models – Time and event compression	40
	5.7	Accele	ration of quantitative reliability tests	40
		5.7.1	Reliability requirements, goals, and use profile	40
		5.7.2	Reliability demonstration or life tests	42
		5.7.3	Testing of components for a reliability measure	
		5.7.4	Reliability measures for components and systems/items	
	5.8		rated reliability compliance or evaluation tests	
	5.9		rated reliability growth testing	
	5.10		nes for accelerated testing	
			Accelerated testing for multiple stresses and the known use profile Level of accelerated stresses	
		J. 1U.Z	Level of accelerated stresses	

62506 © IEC:2013

- 3 -

5.10.3 Accelerated reliability and verification tests	51
6 Accelerated testing strategy in product development	
6.1 Accelerated testing sampling plan	51
6.2 General discussion about test stresses and durations	52
6.3 Testing components for multiple stresses	53
6.4 Accelerated testing of assemblies	
6.5 Accelerated testing of systems	53
6.6 Analysis of test results	
7 Limitations of accelerated testing methodology	
Annex A (informative) Highly accelerated limit test (HALT)	55
Annex B (informative) Accelerated reliability compliance and growth test design	59
Annex C (informative) Comparison between HALT and conventional accelerated	
testing	
Annex D (informative) Estimating the activation energy, E_a	
Annex E (informative) Calibrated accelerated life testing (CALT)	
Annex F (informative) Example on how to estimate empirical factors	
Annex G (informative) Determination of acceleration factors by testing to failure	84
Bibliography	87
Figure 1 – Probability density functions (PDF) for cumulative damage, degradation,	
and test types	
Figure 2 – Relationship of PDFs of the product strength vs. load in use	
Figure 3 – How uncertainty of load and strength affects the test policy	19
Figure 4 – PDFs of operating and destruct limits as a function of applied stress	
Figure 5 – Line plot for Arrhenius reaction model	34
Figure 6 – Plot for determination of the activation energy	35
Figure 7 – Multiplier of the test stress duration for demonstration of required reliability for compliance or reliability growth testing	, 45
Figure 8 – Multiplier of the duration of the load application for the desired reliability	
Figure B.1 – Reliability as a function of multiplier k and for combinations of parameter	s
a and b	
Figure B.2 – Determination of the multiplier <i>k</i>	
Figure B.3 – Determination of the growth rate	
Figure D.1 – Plotting failures to estimate the activation energy E_a	
Figure F.1 – Weibull graphical data analysis	
Figure F.2 – Scale parameter as a function of the temperature range	82
Figure F.3 – Probability of failure as a function of number of cycles ΔT = 50 °C	83
Figure G.1 – Weibull plot of the three data sets	85
Figure G.2 – Scale parameters' values fitted with a power line	86
Table 1 – Test types mapped to the product development cycle	14
Table A.1 – Summary of HALT test results for a DC/DC converter	
Table A.2 – Summary of HALT results from a medical system	
Table A.3 – Summary of HALT results for a Hi-Fi equipment	
Table P.1. Environmental stress conditions of an automative electronic device.	

	-4-	62506 © IEC:2013
Table B.2 – Product use parameters	3	67
Table B.3 – Assumed product use p	rofile	71
Table B.4 – Worksheet for determin	ation of use times to failu	res72
Table B.5 – Data for reliability growt	th plotting	73
Table C.1 – Comparison between H	ALT and conventional acc	celerated testing74
Table F.1 – Probability of failure of t	test samples A and B	80
Table F.2 – Data transformation for	Weibull plotting	80
Table G 1 – Voltage test failure data	a for Weibull distribution	84

62506 © IEC:2013

INTERNATIONAL ELECTROTECHNICAL COMMISSION

- 5 -

METHODS FOR PRODUCT ACCELERATED TESTING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62506 has been prepared by IEC technical committee 56: Dependability.

The text of this standard is based on the following documents:

FDIS	Report on voting
56/1503/FDIS	56/1513/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

-6-

62506 © IEC:2013

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

62506 © IEC:2013

-7-

INTRODUCTION

Many reliability or failure investigation test methods have been developed and most of them are currently in use. These methods are used to either determine product reliability or to identify potential product failure modes, and have been considered effective as demonstrations of reliability:

- fixed duration,
- sequential probability ratio,
- reliability growth tests,
- tests to failure, etc.

Such tests, although very useful, are usually lengthy, especially when the product reliability that has to be demonstrated was high. The reduction in time-to-market periods as well as competitive product cost, increase the need for efficient and effective accelerated testing. Here, the tests are shortened through the application of increased stress levels or by increasing the speed of application of repetitive stresses, thus facilitating a quicker assessment and growth of product reliability through failure mode discovery and mitigation.

There are two distinctly different approaches to reliability activities:

- the first approach verifies, through analysis and testing, that there are no potential failure modes in the product that are likely to be activated during the expected life time of the product under the expected operating conditions;
- the second approach estimates how many failures can be expected after a given time under the expected operating conditions.

Accelerated testing is a method appropriate for both cases, but used quite differently. The first approach is associated with qualitative accelerated testing, where the goal is identification of potential faults that eventually might result in product field failures. The second approach is associated with quantitative accelerated testing where the product reliability may be estimated based on the results of accelerated simulation testing that can be related back to the use of the environment and usage profile.

Accelerated testing can be applied to multiple levels of items containing hardware or software. Different types of reliability testing, such as fixed duration, sequential test-to-failure, success test, reliability demonstration, or reliability growth/improvement tests can be candidates for accelerated methods. This standard provides guidance on selected, commonly used accelerated test types. This standard should be used in conjunction with statistical test plan standards such as IEC 61123, IEC 61124, IEC 61649 and IEC 61710.

The relative merits of various methods and their individual or combined applicability in evaluating a given system or item, should be reviewed by the product design team (including dependability engineering) prior to selection of a specific test method or a combination of methods. For each method, consideration should also be given to the test time, results produced, credibility of the results, data required to perform meaningful analysis, life cycle cost impact, complexity of analysis and other identified factors.

-8-

62506 © IEC:2013

METHODS FOR PRODUCT ACCELERATED TESTING

1 Scope

This International Standard provides guidance on the application of various accelerated test techniques for measurement or improvement of product reliability. Identification of potential failure modes that could be experienced in the use of a product/item and their mitigation is instrumental to ensure dependability of an item.

The object of the methods is to either identify potential design weakness or provide information on item dependability, or to achieve necessary reliability/availability improvement, all within a compressed or accelerated period of time. This standard addresses accelerated testing of non-repairable and repairable systems. It can be used for probability ratio sequential tests, fixed duration tests and reliability improvement/growth tests, where the measure of reliability may differ from the standard probability of failure occurrence.

This standard also extends to present accelerated testing or production screening methods that would identify weakness introduced into the product by manufacturing error, which could compromise product dependability.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068 (all parts), Environmental testing

IEC 60300-3-1:2003, Dependability management – Part 3-1: Application guide – Analysis techniques for dependability – Guide on methodology

IEC 60300-3-5, Dependability management – Part 3-5: Application guide – Reliability test conditions and statistical test principles

IEC 60605-2, Equipment reliability testing - Part 2: Design of test cycles

IEC 60721 (all parts), Classification of environmental conditions

IEC 61014:2003, Programmes for reliability growth

IEC 61164:2004, Reliability growth – Statistical test and estimation methods

IEC 61124:2012, Reliability testing – Compliance tests for constant failure rate and constant failure intensity

IEC 61163-2, Reliability stress screening - Part 2: Electronic components

IEC 61649:2008, Weibull analysis

IEC 61709, Electronic components – Reliability – Reference conditions for failure rates and stress models for conversion



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation